


LOOP MONO 4 star aluminium base  
5088-4STP  
Design Claus Breinholt



BASE AND SUPPORT

BASE E SUPPORTO  
BASE AND SUPPORT

Polished die casting aluminium 4 star base.  
Base 4 razze alluminio presso fuso pulito.  
Base 4 radios de aluminio fundido a presión pulido.



SHELL

SCOCCA  
CARCASA

Post consumer industrial Polypropylene + Glass Fiber  
Post consumer industrial Polypropylene + Glass Fiber  
Post consumer industrial Polypropylene + Glass Fiber



Polypropylene + Glass Fiber  
Polypropylene + Glass Fiber  
Polypropylene + Glass Fiber



SUPPORT

SUPPORTO  
SOPORTE

Polished die casting aluminium.  
Alluminio presso fuso pulito.  
Aluminio fundido a presión pulido

FINISHING

FINITURA  
ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.  
Base e supporto in alluminio verniciato a polvere epossipoliéster con spessore medio di 50 µ.  
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

FEET

PIEDINI  
PIES DE APOYO

Polypropylene  
Polipropilene  
Polipropileno

PKG


IMBALLO  
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	1	11.9	

LOOP MONO 4 star aluminium base upholstered seat panel

5088-4STS

Design Claus Breinholt



BASE AND SUPPORT

BASE E SUPPORTO

BASE AND SUPPORT

Polished die casting aluminium 4 star base.

Base 4 razze alluminio presso fuso pulito.

Base 4 radios de aluminio fundido a presión pulido.



00L



30



31



514F



503F



6013F



3009F

SHELL

SCocca

CARCASA

Post consumer industrial Polypropylene + Glass Fiber

Post consumer industrial Polypropylene + Glass Fiber

Post consumer industrial Polypropylene + Glass Fiber



IR8022



IR6013



IP7608U



IS503

Polypropylene + Glass Fiber

Polypropylene + Glass Fiber

Polypropylene + Glass Fiber



S020



S514



P421C

UPHOLSTERY

TAPPEZZERIA

TAPIZADOS

Upholstered seat panel.

Upholstered seat panel.

Upholstered seat panel.

- A Space, Panarea
- B Eco Leather
- C Convert D, Velvety, Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic , Yoredale
- F Steelcut Quartet, Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m)    COM Leather(m2)

0.60

0.75

SUPPORT

SUPPORTO

SOPORTE

Polished die casting aluminium.

Alluminio presso fuso pulito.

Aluminio fundido a presión pulido

FINISHING

FINITURA

ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.

Base e supporto in alluminio verniciato a polvere epossipoliesteri con spessore medio di 50 µ

Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.


**FEET**  
PIEDINI  
PIES DE APOYO

**PKG**  
IMBALLO  
EMBALAJE

Polypropylene  
Polipropilene  
Polipropileno

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	1	13	

LOOP MONO 4 star aluminium base fully upholstered  
5088-4STT  
Design Claus Breinholt



BASE AND SUPPORT

BASE E SUPPORTO  
BASE AND SUPPORT

Polished die casting aluminium 4 star base.  
Base 4 razze alluminio presso fuso pulito.  
Base 4 radios de aluminio fundido a presión pulido.

00L	30	31	514F	503F	6013F	3009F

UPHOLSTERY

TAPPEZZERIA  
TAPIZADOS

Full upholstered shell  
Full upholstered shell  
Full upholstered shell

A Space,Panarea  
B Eco Leather  
C Convert D,Velvety,Step, Step Melange, Nuvole  
D Reflect   
E Field, Oceanic , Yoredale  
F Steelcut Quartet,Canvas2  
G Divina3, Divina Melange, Fiord  
H Full Leather

COM Fabric(m)	COM Leather(m2)
1,10	1,70

SUPPORT

SUPPORTO  
SOPORTE

Polished die casting aluminium.  
Alluminio presso fuso pulito.  
Aluminio fundido a presión pulido

FINISHING

FINITURA  
ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.  
Base e supporto in alluminio verniciato a polvere epossipoliesteri con spessore medio di 50 µ  
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

FEET

PIEDINI  
PIES DE APOYO

Polypropylene  
Polipropilene  
Polipropileno

PKG

IMBALLO  
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	1	11.9	

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.  
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.  
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.