


LOOP MONO sled
5088-SLDP / 5088-OSLP
Design Claus Breinholt



FRAME

TELAIO
BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360
Struttura in metallo in tondino diametro 11 mm – Fe360
Bastidor metálico de varilla de 11 mm de diámetro - Fe360



OUTDOOR FRAME

TELAIO OUTDOOR
BASTIDOR PARA
EXTERIORES

Epoxy-polyester powder painted frame for outdoor, average thickness 50 µ.
Telaio per esterno verniciato a polveri epossipoliestere spessore medio 50 µ.
Estructura pintada epoxy para exteriores, espesor medio de 50 µ.



SHELL

SCOCOA
CARCASA

Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber



Polypropylene + Glass Fiber
Polypropylene + Glass Fiber
Polypropylene + Glass Fiber



FINISHING

FINITURA
ACABADO


Painted frame with epoxy-polyester powder with average thickness of 50 µ. Chromed frame with average thickness of 5 µ.
Telaio verniciato con polveri epossi-poliestere spessore medio di 50 µ. Telaio cromato con spessore medio 5 µ.
Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio. Bastidor cromado con 5 µ de espesor medio.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	2	18.4	

LOOP MONO sled upholstered seat panel
5088-SLDS
Design Claus Breinholt



FRAME

TELAIO
BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360
Struttura in metallo in tondino diametro 11 mm – Fe360
Bastidor metálico de varilla de 11 mm de diámetro - Fe360



SHELL

SCocca
CARCASA

Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber



Polypropylene + Glass Fiber
Polypropylene + Glass Fiber
Polypropylene + Glass Fiber



UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

- A Space,Panarea
- B Eco Leather
- C Convert D,Velvet,Step, Step Melange, Nuvole
- D Reflect 🌞
- E Field, Oceanic 🌊, Yoredale
- F Steelcut Quartet,Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m) COM Leather(m2)
0.60 0.75

FINISHING

FINITURA
ACABADO


Painted frame with epoxy-polyester powder with average thickness of 50 μ. Chromed frame with average thickness of 5 μ.
Telaio verniciato con polveri epossipoliesteri spessore medio di 50 μ. Telaio cromato con spessore medio 5 μ.
Bastidor con recubrimiento en polvo epoxipoliéster con 50 μ de espesor medio. Bastidor cromado con 5 μ de espesor medio.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	2	13.8	

LOOP MONO sled fully upholstered
5088-SLDT
Design Claus Breinholt



FRAME

TELAIO
BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360
Struttura in metallo in tondino diametro 11 mm – Fe360
Bastidor metálico de varilla de 11 mm de diámetro - Fe360



UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Full upholstered shell
Full upholstered shell
Full upholstered shell

- A Space, Panarea
- B Eco Leather
- C Convert D, Velvety, Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic , Yoredale
- F Steelcut Quartet, Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m)	COM Leather(m2)
1,10	1,70

FINISHING

FINITURA
ACABADO

Painted frame with epoxy-polyester powder with average thickness of 50 µ. Chromed frame with average thickness of 5 µ.
Telaio verniciato con polveri epossipoliesteri spessore medio di 50 µ. Telaio cromato con spessore medio 5 µ.
Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio. Bastidor cromado con 5 µ de espesor medio.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	2	18.4	