


PURE LOOP MONO 4 star aluminium base
5034-4STP
Design Claus Breinholt



BASE AND SUPPORT
BASE E SUPPORTO
BASE AND SUPPORT

Polished die casting aluminium 4 star base
Base 4 razze alluminio presso fuso pulito.
Base 4 radios de aluminio fundido a presión pulido



SHELL
SCOCCA
CARCASA

Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber
Post consumer industrial Polypropylene + Glass Fiber



Polypropylene + Glass Fiber
Polypropylene + Glass Fiber
Polypropylene + Glass Fiber



SUPPORT
SUPPORTO
SOPORTE

Polished die casting aluminium
Alluminio presso fuso pulito.
Aluminio fundido a presión pulido

FINISHING
FINITURA
ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.
Base e supporto in alluminio verniciato a polvere epossipoliestere con spessore medio di 50 µ.
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

FEET
PIEDINI
PIES DE APOYO

Polypropylene
Polipropilene
Polipropileno

PKG
IMBALLO
EMBALAJE


Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	59	63	85.5	0.32	1	11.6

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

PURE LOOP MONO 4 star aluminium base upholstered seat panel

5034-4STS

Design Claus Breinholt




BASE AND SUPPORT

BASE E SUPPORTO
BASE AND SUPPORT

SHELL

SCOCCA
CARCASA



Post consumer industrial Polypropylene + Glass Fiber

Post consumer industrial Polypropylene + Glass Fiber

Post consumer industrial Polypropylene + Glass Fiber



Polypropylene + Glass Fiber

Polypropylene + Glass Fiber

Polypropylene + Glass Fiber



UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Upholstered seat panel in PP with cutted foam thickness 1 cm and density 50 kg/m3

Upholstered seat panel in PP with cutted foam thickness 1 cm and density 50 kg/m3

Upholstered seat panel in PP with cutted foam thickness 1 cm and density 50 kg/m3

- A Space,Panarea
- B Eco Leather
- C Convert D,Velvet,Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic, Yoredale
- F Steelcut Quartet,Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m) COM Leather(m2)

0.60 0.75

SUPPORT

SUPPORTO
SOPORTE

Polished die casting aluminium

Alluminio presso fuso pulito.

Aluminio fundido a presión pulido

FINISHING

FINITURA
ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.

Base e supporto in alluminio verniciato a polvere epossipoliestere con spessore medio di 50 µ

Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

FEET

PIEDINI
PIES DE APOYO

Polypropylene


Polipropilene

Polipropileno

PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	46.5	57	81.5	0.22	1	12

PURE LOOP MONO 4 star aluminium base fully upholstered
5034-4STT
Design Claus Breinholt



BASE AND SUPPORT

BASE E SUPPORTO
BASE AND SUPPORT

Polished die casting aluminium 4 star base
Base 4 razze alluminio presso fuso pulito.
Base 4 radios de aluminio fundido a presión pulido

00L	30	31	514F	503F	6013F	3009F

UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Full upholstered shell
Full upholstered shell
Full upholstered shell

- A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole
D Reflect
E Field, Oceanic , Yoredale
F Steelcut Quartet,Canvas2
G Divina3, Divina Melange, Fiord
H Full Leather

COM Fabric(m)	COM Leather(m2)
0,90	1,50

SUPPORT

SUPPORTO
SOPORTE

Polished die casting aluminium
Alluminio presso fuso pulito.
Aluminio fundido a presión pulido

FINISHING

FINITURA
ACABADO

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.
Base e supporto in alluminio verniciato a polvere epossipoliestere con spessore medio di 50 µ
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

GLIDERS

PIEDINI
PIES DE APOYO

Polypropylene
Polipropilene
Polipropileno

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85.5	0.32	1	11.6	

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.