

Date received: 22/10/19

Date of issue: 07/11/19

Report consists of 4 test reports.

Defects before testing: None

Sample name: RECORD CONTRACT

OMP S.R.L.
VIA CA' LEONCINO, 2
31030 CASTELLO DI GODEGO (TV)
ITALIA

SAMPLE N° 279905

Overall dimensions: Ø 690 x 710 (h) mm

List of test reports:

1. Horizontal static load test EN 1730:2012, clause 6.2
2. Vertical static load test EN 1730:2012, clause 6.3
3. Horizontal fatigue test EN 1730:2012, clause 6.4.2
4. Vertical impact test EN 1730:2012, clause 6.6



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

279905 / 1

Revision: 0
Date received: 22/10/19
Date of test: 30/10/19
Date of issue: 07/11/19



OMP S.R.L.
VIA CA' LEONCINO, 2
31030 CASTELLO DI GODEGO (TV)
ITALIA

Sample name: RECORD CONTRACT

Horizontal static load test EN 1730:2012, clause 6.2

Test results:

| Direction of the force | Horizontal force N | Load on top kg | Number of cycles | Remarks |
|------------------------|--------------------|----------------|------------------|------------|
| Longitudinal (F1) | 270 | 50 | 10 | No defects |
| Longitudinal (F2) | 270 | 50 | 10 | No defects |
| Transverse (F3) | 270 | 50 | 10 | No defects |
| Transverse (F4) | 270 | 50 | 10 | No defects |

Note:

- The test has been carried out according to Table 2 of EN 15372:2016 Test level 3
- The test results comply with strength and durability requirements of EN 15372:2016 clause 5.4.2 (a,b,c)

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giayon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

279905 / 2

Revision: 0
Date received: 22/10/19
Date of test: 30/10/19
Date of issue: 07/11/19



OMP S.R.L.
VIA CA' LEONCINO, 2
31030 CASTELLO DI GODEGO (TV)
ITALIA

Sample name: RECORD CONTRACT

Vertical static load test EN 1730:2012, clause 6.3

Clause 6.3.1 Vertical static load test on main surface

Test results:

| Load application position | Vertical force N | Number of cycles | Remarks |
|---|------------------|------------------|------------|
| 200 mm from the edge of the top, at the middle of the long side | 1250 | 10 | No defects |
| Geometrical centre of the top | 1250 | 10 | No defects |

Note:

- The test has been carried out according to Table 2 of EN 15372:2016 Test level 3
- The test results comply with strength and durability requirements of EN 15372:2016 clause 5.4.2 (a,b,c)

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Gnavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

279905 / 3

Revision: 0
Date received: 22/10/19
Date of test: 30/10/19
Date of issue: 07/11/19



OMP S.R.L.
VIA CA' LEONCINO, 2
31030 CASTELLO DI GODEGO (TV)
ITALIA

Sample name: RECORD CONTRACT

Horizontal fatigue test EN 1730:2012, clause 6.4.2

Test results:

| Direction of the force | Horizontal force N | Number of cycles | Load on top kg | Remarks |
|------------------------|--------------------|------------------|----------------|------------|
| Longitudinal (Fa) | 200 | 20.000 | 50 | No defects |
| Longitudinal (Fb) | 150 | 20.000 | 50 | No defects |
| Transverse (Fc) | 120 | 20.000 | 50 | No defects |
| Transverse (Fd) | 120 | 20.000 | 50 | No defects |

Note:

- The test has been carried out according to Table 2 of EN 15372:2016 Test level 3
- The test results comply with strength and durability requirements of EN 15372:2016 clause 5.4.2 (a,b,c)

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.

TEST REPORT

279905 / 4

Revision: 0
Date received: 22/10/19
Date of test: 07/11/19
Date of issue: 07/11/19



Sample name: RECORD CONTRACT

OMP S.R.L.
VIA CA' LEONCINO, 2
31030 CASTELLO DI GODEGO (TV)
ITALIA

Vertical impact test EN 1730:2012, clause 6.6

Type of surface tested: main surface

Weight of the impact mass: 25 kg

Test results:

Point of impact:
as close as possible to one point of support of the top but not less than 100 mm from any edge

| Drop height mm | Number of cycles | Remarks |
|-------------------|---------------------|------------|
| 180 | 10 | No defects |

Point of impact: 200 mm from the edge of the top as far away from the supports as possible

| Drop height mm | Number of cycles | Remarks |
|-------------------|---------------------|------------|
| 180 | 10 | No defects |

Note:

- The test has been carried out according to Table 2 of EN 15372:2016 Test level 3
- The test results comply with strength and durability requirements of EN 15372:2016 clause 5.4.2 (a,b,c)

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise required by standards and technical specifications or agreed with the customer, any declarations of conformity made by CATAS are based on the comparison between results and reference values, where the confidence intervals of the measures are not taken into account. Unless otherwise stated, sampling is made by the customer; in this case the test results are referred to the sample as received.