

## Serica

SUSPENSION

Struttura in metallo verniciato opaco con dettagli in galvanica spazzolata o totalmente galvanizzata. Illuminazione Led integrato.

Matt-painted metal structure with brushed galvanic details or fully galvanized. Integrated LED lighting.

Struktur aus mattem Lackmetall mit Details in gebürsteter Galvanik oder vollständig galvanisierter Ausführung. Integrierte LED-Beleuchtung.

Estructura de metal pintado en mate con detalles en galvanizado cepillado o totalmente galvanizado. Iluminación LED integrada.

Structure en métal laqué mat avec détails en galvanique brossée ou entièrement galvanisée. Éclairage LED intégré.

Металлический каркас с матовым покрытием и деталями из брашированной гальваники или полностью гальванизированный. Встроенная светодиодная подсветка.

哑光喷涂金属结构, 可选择搭配拉丝电镀细节, 也可选择整体全电镀工艺。所有型号均内置 LED 光源

هيكل معدني مطلي بطلاء غير لامع مع تفاصيل مصقولة أو مجلفنة بالكامل. إضاءة LED مدمجة



## FINISHINGS

## STANDARD

FRAME FINISHING: MATT PAINTED  
METAL DETAILS: GALVANIC BATH



v9T Nero profondo+Champagne spazzolato  
G30 Deep black+Brushed champagne



v9T Nero profondo+Oro bronzato spazzolato  
G31 Deep black+Brushed golden bronze



v9T Nero profondo+Rame spazzolato  
G29 Deep black+Brushed copper



v9T Nero profondo+Oro spazzolato  
G26 Deep black+Brushed pure gold



v9T Nero profondo+Nickel scuro spazzolato  
G27 Deep black+Brushed dark nickel

FRAME FINISHINGS | METAL DETAILS  
GALVANIC BATH



G30 Champagne spazzolato  
Brushed champagne



G31 Oro bronzato spazzolato  
Brushed golden bronze



G29 Rame spazzolato  
Brushed copper



G26 Oro spazzolato  
Brushed pure gold




G27 Nickel scuro spazzolato  
Brushed dark nickel


## STANDARD CABLES




BLACK CABLE  
H MAX 300 CM / 118.10"

SERICA S1 40		CE 
Ø	2,5 cm / 1.00"	
H	40 cm / 15.70"	


STANDARD INTEGRATED LED LIGHTING	
5,8 W CRI>90	
3000 K - 555 NOMINAL LM	
ON REQUEST	
5,8 W CRI>90	
2700 K - 515 NOMINAL LM	
DIMMABLE	
TRIAC	



SERICA S1 60		CE 
Ø	2,5 cm / 1.00"	
H	60 cm / 19.70"	


STANDARD INTEGRATED LED LIGHTING	
5,8 W CRI>90	
3000 K - 555 NOMINAL LM	
ON REQUEST	
5,8 W CRI>90	
2700 K - 515 NOMINAL LM	
DIMMABLE	
TRIAC	



SERICA S1 80		CE 
Ø	2,5 cm / 1.00"	
H	80 cm / 31.50"	

STANDARD INTEGRATED LED LIGHTING	
5,8 W CRI>90	
3000 K - 555 NOMINAL LM	
ON REQUEST	
5,8 W CRI>90	
2700 K - 515 NOMINAL LM	
DIMMABLE	
TRIAC	



 : for the US market, refer to the relevant price list.

SERICA C5 CB 90  
(2x40-2x60-1x80)




W	90 cm / 35.40"
D	30 cm / 11.80"
H MAX	380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
29 W CRI>90
3000 K - 2775 NOMINAL LM

ON REQUEST
29 W CRI>90
2700 K - 2575 NOMINAL LM

DIMMABLE
TRIAC



SERICA C7 CB 120  
(2x40-2x60-3x80)




W	120 cm / 47.20"
D	30 cm / 11.80"
H MAX	380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
40,6 W CRI>90
3000 K - 3885 NOMINAL LM

ON REQUEST
40,6 W CRI>90
2700 K - 3605 NOMINAL LM

DIMMABLE
TRIAC



SERICA C10 CB 160  
(3x40-4x60-3x80)




W	160 cm / 63.00"
D	40 cm / 15.70"
H MAX	380 cm / 149.60"

STANDARD INTEGRATED LED LIGHTING
58 W CRI>90
3000 K - 5550 NOMINAL LM

ON REQUEST
58 W CRI>90
2700 K - 5150 NOMINAL LM

DIMMABLE
TRIAC



**SERICA C3 PB 30**  
(1x40-1x60-1x80)

Ø 30 cm / 11.80"  
H MAX 380 cm / 149.60"

**STANDARD INTEGRATED LED LIGHTING**


17,4 W CRI>90  
3000 K - 1665 NOMINAL LM

**ON REQUEST**

17,4 W CRI>90  
2700 K - 1545 NOMINAL LM

**DIMMABLE**

TRIAC

**SERICA C5 PB 40**  
(2x40-2x60-1x80)

Ø 40 cm / 15.70"  
H MAX 380 cm / 149.60"

**STANDARD INTEGRATED LED LIGHTING**


29 W CRI>90  
3000 K - 2775 NOMINAL LM

**ON REQUEST**

29 W CRI>90  
2700 K - 2575 NOMINAL LM

**DIMMABLE**

TRIAC

**SERICA C7 PB 60**  
(2x40-2x60-3x80)

Ø 60 cm / 23.60"  
H MAX 380 cm / 149.60"

**STANDARD INTEGRATED LED LIGHTING**


40,6 W CRI>90  
3000 K - 3885 NOMINAL LM

**ON REQUEST**

40,6 W CRI>90  
2700 K - 3605 NOMINAL LM

**DIMMABLE**

TRIAC

**SERICA C9 PB 80**  
(3x40-3x60-3x80)

Ø 80 cm / 31.50"  
H MAX 380 cm / 149.60"

**STANDARD INTEGRATED LED LIGHTING**


52,2 W CRI>90  
3000 K - 4995 NOMINAL LM

**ON REQUEST**

52,2 W CRI>90  
2700 K - 4635 NOMINAL LM

**DIMMABLE**

TRIAC

**SERICA C13 PB 100**  
(4x40-4x60-5x80)

Ø 100 cm / 39.40"  
H MAX 380 cm / 149.60"

**STANDARD INTEGRATED LED LIGHTING**


75,4 W CRI>90  
3000 K - 7215 NOMINAL LM

**ON REQUEST**

75,4 W CRI>90  
2700 K - 6695 NOMINAL LM

**DIMMABLE**

TRIAC



**SERICA CLUSTER 11**  
**(5X40-4X60-2X80)**

Ø 100 cm / 39,40"  
H 165 cm / 65,00"

**STANDARD INTEGRATED LED LIGHTING**


63,8 W CRI>90  
3000 K - 6105 NOMINAL LM

**ON REQUEST**

63,8 W CRI>90  
2700 K - 5665 NOMINAL LM

**DIMMABLE**

ON REQUEST

**SERICA CLUSTER 12**  
**(12X60)**

Ø 120 cm / 47,20"  
H 60 cm / 23,60"

**STANDARD INTEGRATED LED LIGHTING**


69,6 W CRI>90  
3000 K - 6660 NOMINAL LM

**ON REQUEST**

69,6 W CRI>90  
2700 K - 6180 NOMINAL LM

**DIMMABLE**

ON REQUEST

**SERICA CLUSTER 39**  
**(18X40-15X60-6X80)**

Ø 120 cm / 47,20"  
H 165 cm / 65,00"

**STANDARD INTEGRATED LED LIGHTING**


226,2 W CRI>90  
3000 K - 21645 NOMINAL LM

**ON REQUEST**

226,2 W CRI>90  
2700 K - 20085 NOMINAL LM

**DIMMABLE**

ON REQUEST

**SERICA CLUSTER 28**  
**(11X40-11X60-6X80)**

W 446 cm / 175,00"  
D 26 cm / 10,20"  
H 80 cm / 31,50"

**STANDARD INTEGRATED LED LIGHTING**


162,4 W CRI>90  
3000 K - 15540 NOMINAL LM


**ON REQUEST**


162,4 W CRI>90  
2700 K - 14420 NOMINAL LM


**DIMMABLE**


ON REQUEST




SERICA CLUSTER 22 (6X40-8X60-8X80)		CE 
W	303cm / 119,30"	
D	183 cm / 72,00"	
H	165 cm / 65,00"	
STANDARD INTEGRATED LED LIGHTING		
127,6 W CRI>90		
3000 K - 12210 NOMINAL LM		
ON REQUEST		
127,6 W CRI>90		
2700 K - 11330 NOMINAL LM		
DIMMABLE		
ON REQUEST		




SERICA CLUSTER 54 (18X40-18X60-18X80)		CE 
W	513 cm / 202,00"	
D	303 cm / 119,30"	
H	245 cm / 96,50"	
STANDARD INTEGRATED LED LIGHTING		
313,2 W CRI>90		
3000 K - 29970 NOMINAL LM		
ON REQUEST		
313,2 W CRI>90		
2700 K - 27810 NOMINAL LM		
DIMMABLE		
ON REQUEST		




 : for the US market, refer to the relevant price list.


Serica S1 40



Serica S1 60




Serica S1 80



Ⓒ : for the US market, refer to the relevant price list.

Serica S1 40

GALVANIC BATH FRAME




Serica S1 60

GALVANIC BATH FRAME



Serica S1 80

GALVANIC BATH FRAME



Ⓒ : for the US market, refer to the relevant price list.



## SINGLE CANOPY

	SIZE	FRAME FINISHINGS	CANOPY FINISHINGS	PRODUCT NAME
	Ø 4,5 cm / 1.80"	● V9T	● V90	SERICA S1 40 - S1 60 - S1 80
	H 8 cm / 3.10"	● G30	● V90	
		● G31	● V90	
		● G29	● V90	
		● G26	● V90	
		● G27	● V90	


## RECESSED CANOPY



	SIZE	FINISHINGS	CANOPY FINISHING	PRODUCT NAME
	Ø 4,5 cm / 1.80"	● V9T	● V90	SERICA S1 40 - S1 60 - S1 80 (Remote Driver)
	H 0,8 cm / 0,30"			

COBBLE CANOPY






CANOPY CB 90




SIZE		DESCRIPTION	SYSTEM
W	90 cm / 35.40"	COBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
D	30 cm / 11.80"		
H	4.2 cm / 1.65"		
FINISHINGS			
			
V98	V91		

CANOPY CB 120




SIZE		DESCRIPTION	SYSTEM
W	120 cm / 47.20"	COBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
D	30 cm / 11.80"		
H	4.2 cm / 1.65"		
FINISHINGS			
			
V98	V91		

CANOPY CB 120




SIZE		DESCRIPTION	SYSTEM
W	120 cm / 47.20"	COBBLE CANOPY FOR UP TO 10 SUSPENSION	Cluster
D	30 cm / 11.80"		
H	4.2 cm / 1.65"		
FINISHINGS			
<div><div></div><div></div></div>			
V98	V91		

CANOPY CB 160





SIZE		DESCRIPTION	SYSTEM
W	160 cm / 63.00"	COBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
D	40 cm / 15.70"		
H	4.2 cm / 1.65"		
FINISHINGS			
<div><div></div><div></div></div>			
V98	V91		



PEBBLE CANOPY





CANOPY PB 30

	SIZE	DESCRIPTION	SYSTEM
	Ø 30 cm / 11.80" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 3 SUSPENSION	Cluster
FINISHINGS			
			
V98 V91			



CANOPY PB 40

	SIZE	DESCRIPTION	SYSTEM
	Ø 40 cm / 15.70" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 5 SUSPENSION	Cluster
FINISHINGS			
			
V98 V91			



CANOPY PB 60

	SIZE	DESCRIPTION	SYSTEM
	Ø 60 cm / 23.60" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 7 SUSPENSION	Cluster
FINISHINGS			
			
V98 V91			

CANOPY PB 80

	SIZE	DESCRIPTION	SYSTEM
	Ø 80 cm / 31.50" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 9 SUSPENSION	Cluster
FINISHINGS			
			
V98 V91			

CANOPY PB 100

	SIZE	DESCRIPTION	SYSTEM
	Ø 100 cm / 39.40" H 4.2 cm / 1.65"	PEBBLE CANOPY FOR UP TO 13 SUSPENSION	Cluster
FINISHINGS			
			
V98 V91			