

BOTANY

by NARBUTAS

Technical information

narbutas.com



Quality standard

LST EN 15372:2023 (Level 2)
LST EN 1730:2012
BIFMA M7.1
BIFMA X5.5

Warranty

See Warranty statement

Other documents available for this product

Cable management guidelines and compatibility
Environmental product profile
NARBUTAS product care guide



Technical information

Types

- Meeting table with wooden base (1)
- Coffee table with wooden base (2)

1



2



Tabletop

- 28 mm chipboard covered in HPL or veneer, with solid wood profile edging;
- Underside finished in black HPL;
- With or without a cut-out for a power unit;
- Round, oval and racetrack-shaped;
- Grain direction runs the length of the tabletop (for veneer oval and racetrack shapes).

Wooden base

- 3D curved plywood cover with veneer finish, lacquered;
- Welded metal frame (tubes and sheets), powder coated (always black);
- Metal disc for tabletop fixing, powder coated (always black);
- Integrated counterweight (recycled metal) in fabric bag;
- Plastic feet with height levelling (+ 10 mm), 6 pcs.

Metal frame (for tables with 2 wooden bases)


- Bent metal sheet, 100 x 20 mm (length depends on table dimensions);
- Additional connecting and levelling plates;
- Powder-coated (always black).

Power unit

- Input voltage: 110 – 240 V;
- Supported standards: EU, FR, UK, CH, US;
- GST18i3 hardwired extension cable.

Information about available electrical accessories for this range can be found in our product price lists.


3/4/5 seats



Oval tabletop

Meeting tables


6 seats











Racetrack tabletop

Meeting tables

8/10/12 seats









Technical information

Types

- Meeting table with metal base (1)
- High meeting table with metal base (2)
- Coffee table with metal base (3)
- Side table with metal base (4)

1



2



3



4



Tabletop

MFC (melamine)

- 18 mm thick with 1 mm ABS edging; corners rounded to R = 1 mm;
- 25 mm thick with 2 mm ABS edging; corners rounded to R = 2 mm;
- With or without a cut-out for a power unit;
- Round and racetrack-shaped.

MDF Valchromat

- 19 mm and 30 mm thick MDF Valchromat;
- Double-sided profiled edge;
- With or without a cut-out for a power unit;
- Round and racetrack-shaped.

Metal base

- Disc made of 8 mm thick sheet metal;
- Cast aluminium trumpet-shaped part;
- Round metal tube – Ø 55 mm;
- Cast aluminium star base with adjustable levelling feet, height adjustment up to 10 mm (exception: products CBL045 and CBS045 – adjustment up to 5 mm);
- Powder-coated metal.

Metal frame (for tables with 2 or 3 metal bases)

- 110 x 25 mm sheet metal frame;
- Additional connecting and levelling plates;
- Powder-coated metal.

Power unit

- Input voltage: 100 – 230 V;
- Supported standards: EU, FR, UK, CH, US;
- GST18i3 hardwired extension cable.


Information about available electrical accessories for this range can be found in our product price lists.

Range

Round tabletop

Meeting tables


2/4/5 seats



*745 mm- Valchromat; 750 mm- Melamine

High meeting tables


2/4/5 seats




*1045 mm- Valchromat; 1050 mm- Melamine

Coffee tables

Side table with metal base



Coffee table with metal base




*430 mm- Valchromat, 435 mm - Melamine


Racetrack tabletop

Meeting tables







8 seats



10/12 seats




*745 mm- Valchromat; 750 mm- Melamine




*745 mm- Valchromat; 750 mm- Melamine

High meeting tables


8 seats





10/12 seats





*1045 mm- Valchromat; 1050 mm- Melamine




2800



3200, 3600



3200, 3600



*1045 mm- Valchromat; 1050 mm- Melamine

Additional information

Due to the nature of veneer production, panels of the same colour may have slight tonal variations. Adding new veneer items at a later time may result in colour differences between items. It is recommended to order all veneer products intended for the same space at the same time.


Slight colour variations in MDF Valchromat panels may occur due to organic pigments and natural differences in wood. Undyed or differently coloured fibres are a natural characteristic of the material.

For more information on finish care, please refer to the NARBUTAS product care guide.

Power units, sets of power extension accessories and supply cables are not included and must be ordered separately. See the Cable management guidelines and compatibility for details.

Cables are concealed within the metal frame and routed through the wooden or metal base.

The power unit with a wireless function must be flipped to access the wireless charger (not suitable for the US market).



A 45 mm clearance is provided for floor box cable management (for tables with a wooden base).

