



Saffron RAL 1017

Wavy is an elegant and spacious waste bin designed for public space recycling. Its shape makes it flexible and easy to place – free-standing in a room, against a wall, around a pillar, or in a corner, either alone or in a group.

The curved top creates a beautiful play of shadows, and when placed in groups, it forms a dynamic wave pattern. Wavy comes in a version with an open slot as well as with a swing lid designed for one-handed use. Perfect for those on the go with their hands full.

Wavy is made from robust steel sheets. The construction allows for easy disassembly and replacement of parts in case of damage or maintenance. Wavy's dimensions are optimized for resource-efficient and environmentally-friendly transportation.

Order Wavy in your preferred RAL colour and complete it with waste symbols for easy sorting.

Wavy

Recycling



Download CAD/BIM

Frame: Powder coated steel 1,5 mm

Top/Flip lid: Powder-coated steel 2 mm

Container & Base insert: 100% recycled ABS plastic

Size: Up to 85 L


Wavy has an EPD certification, which provides a transparent and detailed report on the environmental impact of a product throughout its life cycle.






→ Read more

Overview

- The modules are made from 20% recycled robust steel with long durability.
- Circular product: the modules can be disassembled and replaced, refreshed, repaired, renovated, and recycled.
- The steel body is made of parts that are joined with screws and can be separated when renovation is needed.
- Inner containers, combined with a raised base, allow for the use of paper bags.
- The inner containers and raised base are made from 100% recycled plastic.



How to order Wavy:

1. 	2. 	3. 	4. 	5. 
Choose frame and colour Wavy holds 85 L, designed for bin bags of 85-125 L	Choose top and colour With or without lock	Add a swing lid if desired Can be re-ordered	Select symbol 2 pieces on a regular top 1 piece on a top with lock	Choose accessories Container and base insert

Frame

Width: 360 mm Height: 895 mm Depth: 360 mm

Colour	Art.no.
RAL 9010 White	36105101
RAL 7032 Warm Grey	36105120
RAL 7016 Anthracite	36105104
RAL 5023 Brilliant blue	36105121
RAL 1013 Pearl white	36105122
RAL 6013 Olive	36105123
RAL 6020 Forest green	36105124
RAL 8014 Chocolate	36105125
RAL 1017 Saffron	36105126
RAL 3014 Old pink	36105127
RAL 3005 Wine red	36105128

Any RAL colour at additional cost, contact TreCe.




Colours



Top

Width: 360 mm Height: 360 mm

Colour	Art.no.
RAL 9010 White	36106101
RAL 7032 Warm Grey	36106120
RAL 7016 Anthracite	36106104
RAL 5023 Brilliant blue	36106121
RAL 1013 Pearl white	36106122
RAL 6013 Olive	36106123
RAL 6020 Forest green	36106124
RAL 8014 Chocolate	36106125
RAL 1017 Saffron	36106126
RAL 3014 Old pink	36106127
RAL 3005 Wine red	36106128



Symbol in Swedish

Ø 65 mm

Double
Factory fitted on the front and back of the top

Colour												
	RESTAVFALL	MATAVFALL	PAPPER	PLAST-FÖRPACKNING	PAPPERS-FÖRPACKNING	PANT	BLANDAD ÅTERVINNING	WELLPAPP	OFÄRGAT GLAS	FÄRGAT GLAS	GLAS	METALL-FÖRPACKNING
White	36815101	36815201	36815301	36815401	36815501	36815601	36815701	36815801	36815901	36816001	36816101	36816201
Anthracite	36815104	36815204	36815304	36815404	36815504	36815604	36815704	36815804	36815904	36816004	36816104	36816204

Symbol in English

Ø 65 mm

Double
Factory fitted on the front and back of the top

Colour												
	GENERAL WASTE	FOOD WASTE	PAPER	PLASTIC	CARTONS	BOTTLES CANS	MIXED RECYCLING	CARDBOARD	CLEAR GLASS	COLOURED GLASS	GLASS	METAL
White	36825101	36825201	36825301	36825401	36825501	36825601	36825701	36825801	36825901	36826001	36826101	36826201
Anthracite	36825104	36825204	36825304	36825404	36825504	36825604	36825704	36825804	36825904	36826004	36826104	36826204

Symbol in German

Ø 65 mm

Double
Factory fitted on the front and back of the top

Colour												
	RESTMÜLL	BIOMÜLL	PAPIER	PLASTIK	PAPIER-VERPACKUNG	PFAND	WERTSTOFF-TÖNNE	WELLPAPPE	WEISSGLAS	BRAUNGLAS	GRÜNGLAS	METALL
White	36835101	36835201	36835301	36835401	36835501	36835601	36835701	36835801	36835901	36836001	36836101	36836201
Anthracite	36835104	36835204	36835304	36835404	36835504	36835604	36835704	36835804	36835904	36836004	36836104	36836204

Symbol in Norwegian

Ø 65 mm

Double
Factory fitted on the front and back of the top

Colour												
	RESTAVFALL	MATAVFALL	PAPIR	PLAST-EMBALLASJE	PAPP	PANT	BLANDET AVFALL	WELLPAPP	KLART GLASS	FARGET GLASS	GLASS	METALL-EMBALLASJE
White	36845101	36845201	36845301	36845401	36845501	36845601	36845701	36845801	36845901	36846001	36846101	36846201
Anthracite	36845104	36845204	36845304	36845404	36845504	36845604	36845704	36845804	36845904	36846004	36846104	36846204


Contact TreCe if you want other symbols or text in other languages.

Top with lock

A triangular key is included when ordering a top with a lock.
It can also be purchased separately.

Width: 360 mm Height: 360 mm

Colour	Art.no.
RAL 9010 White	36106201
RAL 7032 Warm Grey	36106220
RAL 7016 Anthracite	36106204
RAL 5023 Brilliant blue	36106221
RAL 1013 Pearl white	36106222
RAL 6013 Olive	36106223
RAL 6020 Forest green	36106224
RAL 8014 Chocolate	36106225
RAL 1017 Saffron	36106226
RAL 3014 Old pink	36106227
RAL 3005 Wine red	36106228




Triangular key

Symbol in Swedish

Ø 65 mm

Single
Factory fitted on the front and back of the top



Colour												
White	36765101	36765201	36765301	36765401	36765501	36765601	36765701	36765801	36765901	36766001	36766101	36766201
Anthracite	36765104	36765204	36765304	36765404	36765504	36765604	36765704	36765804	36765904	36766004	36766104	36766204

Symbol in English

Ø 65 mm

Single
Factory fitted on the front and back of the top



Colour												
White	36775101	36775201	36775301	36775401	36775501	36775601	36775701	36775801	36775901	36776001	36776101	36776201
Anthracite	36775104	36775204	36775304	36775404	36775504	36775604	36775704	36775804	36775904	36776004	36776104	36776204

Symbol in German

Ø 65 mm

Single
Factory fitted on the front and back of the top



Colour												
White	36785101	36785201	36785301	36785401	36785501	36785601	36785701	36785801	36785901	36786001	36786101	36786201
Anthracite	36785104	36785204	36785304	36785404	36785504	36785604	36785704	36785804	36785904	36786004	36786104	36786204

Symbol in Norwegian

Ø 65 mm

Single
Factory fitted on the front and back of the top



Colour												
White	36795101	36795201	36795301	36795401	36795501	36795601	36795701	36795801	36795901	36796001	36796101	36796201
Anthracite	36795104	36795204	36795304	36795404	36795504	36795604	36795704	36795804	36795904	36796004	36796104	36796204

Contact TreCe if you want other symbols or text in other languages.

Swing lid*

Width: 285 mm Height: 285 mm

Colour	Art.no.
RAL 9010 White	36106301
RAL 7032 Warm Grey	36106320
RAL 7016 Anthracite	36106304
RAL 5023 Brilliant blue	36106321
RAL 1013 Pearl white	36106322
RAL 6013 Olive	36106323
RAL 6020 Forest green	36106324
RAL 8014 Chocolate	36106325
RAL 1017 Saffron	36106326
RAL 3014 Old pink	36106327
RAL 3005 Wine red	36106328



*Wavy swing lid can be re-ordered


Accessories

Product	Description	Size	Colour	Art.no.
Container	Approx. 45L Handle W80 x H30 mm Recycled ABS plastic 3 mm	Ø320 x H650	Grey	36700103
Base insert	Insert with perforated grid Recycled ABS plastic 3 mm	Ø240 x H100	Grey	36700203
Triangular key	Extra key for tops with lock	W50 x H80	Silver	34700112



Stackable container with handle.
Base insert is used as bottom insert in the container. The perforations allow airflow, reducing moisture buildup.
Add the base insert when using food waste bags as they often have a lower depth.

Change of rubbish bag




Wavy frame with lid.

Lift up the lid. Lids with locks need to be unlocked before lifting.

Remove the rubbish bag from the bag holder and lift it up to facilitate emptying. If there is a risk of leakage, use inner containers.

Wavy Line-ups



Sustainability

Quick info

Content	Certification TreCe	Certification TreCe
Environmental, social aspects & quality	ISO 9001:2015	ISO 14001:2015
Country of manufacture	Recycled material	Recycled material
Sweden	Steel 20% recycled pre-consumer	ABS 100% recycled pre-consumer



EPD

Wavy also has an EPD certification, which provides a transparent and detailed report on the environmental impact of a product throughout its life cycle. It allows you to compare materials and make informed and sustainable choices.



→ Read more

SVHC/ECHA Candidate List

No chemicals on the ECHA Candidate List of SVHCs may be present in concentrations >0.1% by weight in the components, parts or chemicals used or incorporated in the manufacture of the furniture/product. See <http://echa.europa.eu/sv/candidate-list-table>

Metal

The metal used in the product meets the requirements set out in Table 1. The requirements include restrictions on certain alloys for parts intended for prolonged direct skin contact.

Table 1: Metal requirements

Requirements	Complies with
Metals which come into direct contact with the skin over a long period of time (e.g. armrests) must not be made of alloys containing nickel, chromium III or chromium VI.	X

Surface treatment

Surface treatments used for the product meet the requirements in Table 2 and 3. The requirements limit the amount of volatile organic compounds (VOCs) and solvents, as well as the classification and labelling of chemicals according to CLP.

Table 2: Requirements for surface treatment

Requirements	Complies with
The content of aromatic solvents/hydrocarbons in coating products/preparations must not exceed 1.0% by weight	X
Surface treatment with preparations containing VOCs may have a maximum applied VOC component of 60 g/m2 for office/public/outdoor environment	X

Sustainability

Table 3: Hazard class and hazard designation according to Regulation 1272/2008

Hazard category	Hazard statement according to Regulation 1272/2008	Complies with
Acute toxicity	H300, H301, H310, H311, H330, H331	X
Toxic to body organs	H370, H371, H372, H373	X
Carcinogenic	H350, H351	X
Mutagenic	H340, H341	X
Toxic to reproduction	H360, H361, H362	X
Allergenic	H334	X
Environmentally hazardous	H400, H410, H411, H412, H413 If for technical reasons the use of coating products labelled as environmentally hazardous (H400, H410, H411, H412, H413) is required, it can be accepted if the applied amount is <14g/per m² surface	X
Hazardous to the ozone layer	H420	X

Plastic

The plastic used in the product meets the requirements set out in Table 4. The requirements include restrictions on certain additives and substances, as well as marking to facilitate material recycling and correct sorting.

Table 4: Plastic requirements

Requirements	Complies with
Plastic parts >50 grams are permanently marked according to ISO 11469	X
Free from PVC (polyvinyl chloride)	X
Phthalates/softeners with hazard statement H340, H350, H360 must not be actively added or the measured value per substance and detail must not exceed 0,1 % by weight	X
Short-chain chlorinated paraffins (SCCPs) must not be actively added or the measured value per substance and item must not exceed 0,01 % by weight	X
The following flame retardants have not been actively added or the measured value per substance and detail shall not exceed 0,1 % by weight	
Polybromerade bifenyler (PBBs)	CAS-nr: 59536-65-1
Dekabromdifenyleter (dekaBDE)	CAS-nr: 1163-19-5
Pentabromdifenyleter (pentaBDE)	CAS-nr: 32534-81-9
Oktabromdifenyleter (oktaBDE)	CAS-nr: 32536-52-0
Tris (2,3-dibrompropyl) fosfat (TBPP)	CAS-nr: 126-72-7
Tris (1-aziridinyl)fosfin oxid (TEPA)	CAS-nr: 5455-55-1
Hexabromcyklododekan (HBCDD)	CAS-nr: 25637-99-4
Tris (2 kloretyl) fosfat (TCEP)	CAS-nr: 115-96-8
Tris (1,3-dichloroisopropyl) phosphate (TDCPP)	CAS-nr: 13674-87-8
No pigments containing arsenic, lead, cadmium, tin, chromium VI or mercury are actively added or that their content does not exceed 0.01% by weight measured value per item	X

Circularity

Product information, warranty and circularity

Developed for public environments and offices, with a focus on long service life and smooth day-to-day operation. The design makes it easy to care for, maintain and, when needed, replace parts, which can help extend its service life over time. Key product information, warranty and service options are summarised in Table 5.

Supporting longer use

- Designed to be expanded and adapted over time.
- Can be disassembled for servicing and parts replacement when required.
- QR code on each bin with assembly, disassembly and care instructions.
- Contact TreCe for service options and guidance on refreshing/refurbishment.

Table 5: Product information, warranty and service options

Aspect	
Design	David Doms
Product warranty	2 years*
Product information & maintenance	QR code on each bin
Recyclable	All parts can be materially recycled
Service	Contact TreCe for service options and guidance

***Warranty:** The warranty is valid from the date of delivery of the product. Invoice/order number must be quoted for the warranty to be valid. The warranty does not apply to products that have been stored or assembled incorrectly, used in an inappropriate or improper manner, altered in appearance/function or cleaned with an incorrect cleaning method or cleaning products. The warranty does not cover damage in transit, normal wear and tear, scratches, marks or damage caused by impact or accident. The warranty does not apply if the product has been placed outdoors or in a humid environment, or if the product has been used for purposes other than those for which it is intended.

For products intended for outdoor use, the aforementioned humid environment does not apply, but the warranty period is halved for installation within 200 metres of a coastal environment. The warranty does not apply to outdoor products where surface corrosion occurs over time as this is purely aesthetic and can be remedied with touch-up paint.

General care instructions

Metal

Wipe with a slightly damp, soft lint-free cloth and mild detergent. Always wipe dry with a dry cloth. Never use solvents on painted metal or abrasive materials.