


ROUND&ROUND bar stool plastic seat - Swivel

5093-BSSP

Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR

Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.

9004F	20	11	503F	79	78	6013F

SEAT

SEDUTA
ASIENTO

Post consumer industrial Polypropylene + Glass Fiber
Plastica post consumo industriale + Fibra di vetro
Plástico industrial posconsumo + Fibra de vidrio

IS011	IS001	IS503	IR6013

Polypropylene + Glass Fiber
Polipropilene + Fibra di vetro
Polipropileno + Fibra de vidrio

S020	S529	S527

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 μ.
Verniciatura a polveri epossì-poliesteri spessore medio di 50 μ.
Estructura con recubrimiento en polvo epoxi-poliéster con 50 μ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS



Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
41	41	78	0.13	1	8.8	

ROUND&ROUND bar stool wooden seat - Swivel
5093-BSSW
Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR

Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.



9004F



20



11



503F



79



78



6013F

SEAT

SEDUTA
ASIENTO

Wood seat panel in plywood ash, 13,5 mm thickness.
Wood seat panel in plywood ash, 13,5 mm thickness.
Wood seat panel in plywood ash, 13,5 mm thickness.



FRVAN



FRTA28



FRTA04

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 µ.
Verniciatura a polveri epossipoliesteri spessore medio di 50 µ.
Estructura con recubrimiento en polvo epoxipoliéster con 50 µ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS


Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
41	41	78	0.13	1	9.1	

ROUND&ROUND bar stool upholstered seat - Swivel
5093-BSST
Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR

Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.

9004F	20	11	503F	79	78	6013F

UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Upholstered seat panel
Pannello tappezzato
Panel de asiento tapizado

- A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole, Norfolk
D Reflect ,Revive
E Field, Oceanic , Yoredale,Volta Celeste
F Steelcut Quartet,Canvas2
G B-chew trio , Divina3, Divina Melange, Fiord, Harald,Patio
H Full Leather

COM Fabric(m)
0.50

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 μ.
Verniciatura a polveri epossi-poliestere spessore medio di 50 μ.
Estructura con recubrimiento en polvo epoxi-poliéster con 50 μ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS

Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.


PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
41	41	78	0.13	1	8.95	

ROUND&ROUND bar stool plastic seat - Fixed

5093-BSTP / 5093-OBFP
Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR

Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.

9004F

20

11

503F

79

78

6013F

SEAT

SEDUTA
ASIENTO

Post consumer industrial Polypropylene + Glass Fiber
Plastica post consumo industriale + Fibra di vetro
Plástico industrial posconsumo + Fibra de vidrio

IS011

IS001

IS503

IR6013

Polypropylene + Glass Fiber
Polipropilene + Fibra di vetro
Polipropileno + Fibra de vidrio

S020

S529

S527

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 µ.
Verniciatura a polveri epossipoliesteri spessore medio di 50 µ.
Estructura con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS

Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.



PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
41	41	78	0.13	1	8.8	

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

ROUND&ROUND bar stool wooden seat - Fixed
5093-BSTW
Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR

Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.



9004F



20



11



503F



79



78



6013F

SEAT

SEDUTA
ASIENTO

Wood seat panel in plywood ash, 13,5 mm thickness.
Wood seat panel in plywood ash, 13,5 mm thickness.
Wood seat panel in plywood ash, 13,5 mm thickness.



FRVAN



FRTA28



FRTA04

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 µ.
Verniciatura a polveri epossipoliesteri spessore medio di 50 µ.
Estructura con recubrimiento en polvo epoxipoliéster con 50 µ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS


Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
41	41	78	0.13	1	9.1	


ROUND&ROUND bar stool upholstered seat - Fixed
5093-BSTT / 5093-OBFT
Design Oleg Pugachev



FRAME

TELAIO
BASTIDOR





Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.
Legs in oval tube 30x15 mm, thickness 2 mm, accordingly with UNI EN 10305-3 rule.

						
9004F	20	11	503F	79	78	6013F

UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Upholstered seat panel
Pannello tappezzato
Panel de asiento tapizado

- A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole, Norfolk
D Reflect ,Revive 
E Field, Oceanic , Yoredale,Volta Celeste
F Steelcut Quartet,Canvas2
G B-chew trio , Divina3, Divina Melange, Fiord, Harald,Patio
H Full Leather

COM Fabric(m)
0.50

FRAME FINISHING

FINITURA TELAIO
ACABADO DEL BASTIDOR

Painted structure with epoxy-polyester powder with average thickness of 50 μ.
Verniciatura a polveri epossi-poliestere spessore medio di 50 μ.
Estructura con recubrimiento en polvo epoxi-poliéster con 50 μ de espesor medio.

FOOTREST

POGGIAPIEDI
REPOSAPIÉS

Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.
Polypropylene + Glass fiber + Post Consumer Industrial Plastic material.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	41	41	78	0.13	1	8.95