


RELIEF 4 star aluminium base with arms
5036-4SAP
Design Favaretto&Partners



BASE AND SUPPORT
BASE E SUPPORTO
BASE AND SUPPORT

Polished aluminium 4 star base
Base 4 razze alluminio pulito.
Base de aluminio pulido de 4 radios



SHELL
SCocca
CARCASA

Polypropylene + Glass fiber
Polipropilene + Fibra di vetro
Polipropileno + Fibra de vidrio



FEATURES
CARATTERISTICHE
CARACTERÍSTICAS


Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.
Base e supporto in alluminio verniciato a polvere epossipoliestere con spessore medio di 50 µ
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85,5	0.32	1	12,82	

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

RELIEF 4 star aluminium base with arms fully upholstered
5036-4SAT
Design Favaretto&Partners



BASE AND SUPPORT
BASE E SUPPORTO
BASE AND SUPPORT

Polished aluminium 4 star base
Base 4 razze alluminio pulito.
Base de aluminio pulido de 4 radios



UPHOLSTERY
TAPPEZZERIA
TAPIZADOS

Full upholstered shell
Full upholstered shell
Full upholstered shell

A Space,Panarea
B Eco Leather
C Convert D,Velvety,Step, Step Melange, Nuvole
D Reflect
E Field, Oceanic , Yoredale
F Steelcut Quartet,Canvas2
G Divina3, Divina Melange, Fiord
H Full Leather

COM Fabric(m)	COM Leather(m2)
1,00	1.40

FEATURES
CARATTERISTICHE
CARACTERÍSTICAS

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.
Base e supporto in alluminio verniciato a polvere epossipoliestere con spessore medio di 50 µ
Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.


PKG
IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85,5	0.32	1	12,82	

RELIEF 4 star aluminium base with arms upholstered seat panel

5036-4SAS

Design Favaretto&Partners



BASE AND SUPPORT

BASE E SUPPORTO

BASE AND SUPPORT

Polished aluminium 4 star base

Base 4 razze alluminio pulito.

Base de aluminio pulido de 4 radios



00L



30



31

SHELL

SCOCCA

CARCASA

Polypropylene + Glass fiber

Polipropilene + Fibra di vetro

Polipropileno + Fibra de vidrio



S020



R8022



S007



S503



S514



S529



R6013

UPHOLSTERY

TAPPEZZERIA

TAPIZADOS

Upholstered seat panel

Upholstered seat panel

Upholstered seat panel

- A Space,Panarea
- B Eco Leather
- C Convert D,Velvet,Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic, Yoredale
- F Steelcut Quartet,Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m) COM Leather(m2)

0.65

0.50

FEATURES

CARATTERISTICHE

CARACTERÍSTICAS

Painted aluminium base and support with epoxy-polyester powder with average thickness of 50 µ.

Base e supporto in alluminio verniciato a polvere epossipoliéster con spessore medio di 50 µ.

Base y soporte de aluminio con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.

PKG

IMBALLO

EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	63	85,5	0.32	1	12,82	