


RELIEF sled
5036-SLDP
Design Favaretto&Partners



FRAME

TELAIO
BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360.
Telaio in tondino Diametro 11 mm - Fe360.
Bastidor metálico de varilla de 11 mm de diámetro - Fe360



SHELL

SCOCCA
CARCASA

Polypropylene + Glass fiber
Polipropilene + Fibra di vetro
Polipropileno + Fibra de vidrio



FEATURES

CARATTERISTICHE
CARACTERÍSTICAS

Painted frame with epoxy-polyester powder with average thickness of 50 µ. Chromed frame with average thickness of 5 µ.
Telaio verniciato con polveri epossipoliesteri spessore medio di 50 µ. Telaio cromato con spessore medio 5 µ.
Bastidor con recubrimiento en polvo epoxipoliéster con 50 µ de espesor medio. Bastidor cromado con 5 µ de espesor medio.

OPTIONAL

OPTIONAL
OPTIONAL

Writing tablet in HPL. Tablet support in metal drawn rod.
Writing tablet in HPL. Tablet support in metal drawn rod.
Tableta de escritura

CERTIFICATIONS

CERTIFICAZIONI
CERTIFICADOS



PKG

IMBALLO
EMBALAJE



Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
59	64	97,5	0.37	4	31,72	

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

RELIEF sled upholstered seat panel

5036-SLDS

Design Favaretto&Partners



FRAME

TELAIO

BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360.

Telaio in tondino Diametro 11 mm - Fe360.

Bastidor metálico de varilla de 11 mm de diámetro - Fe360



30



31



79



6013F



01

SHELL

SCOCCA

CARCASA

Polypropylene + Glass fiber

Polipropilene + Fibra di vetro

Polipropileno + Fibra de vidrio



S020



R8022



S007



S503



S514



S529



R6013

UPHOLSTERY



TAPPEZZERIA

TAPIZADOS

Upholstered seat panel

Upholstered seat panel

Upholstered seat panel

- A Space,Panarea
B Eco Leather
C Convert D,Velvet,Step, Step Melange, Nuvole
D Reflect 
E Field, Oceanic , Yoredale
F Steelcut Quartet,Canvas2
G Divina3, Divina Melange, Fiord
H Full Leather

COM Fabric(m) COM Leather(m2)

0,65

0.50

FEATURES

CARATTERISTICHE

CARACTERÍSTICAS

Painted frame with epoxy-polyester powder with average thickness of 50 μ . Chromed frame with average thickness of 5 μ .

Telaio verniciato con polveri epossipoliesteri spessore medio di 50 μ . Telaio cromato con spessore medio 5 μ .

Bastidor con recubrimiento en polvo epoxi-poliéster con 50 μ de espesor medio. Bastidor cromado con 5 μ de espesor medio.



PKG

IMBALLO

EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
53,5	59	89	0.28	2	17,36	

RELIEF sled fully upholstered
5036-SLDT
Design Favaretto&Partners



FRAME

TELAIO
BASTIDOR

Metal frame in drawn rod diameter 11 mm – Fe360.
Telaio in tondino Diametro 11 mm - Fe360.
Bastidor metálico de varilla de 11 mm de diámetro - Fe360



UPHOLSTERY

TAPPEZZERIA
TAPIZADOS

Full upholstered shell
Full upholstered shell
Full upholstered shell

- A Space,Panarea
- B Eco Leather
- C Convert D,Velvety,Step, Step Melange, Nuvole
- D Reflect
- E Field, Oceanic , Yoredale
- F Steelcut Quartet,Canvas2
- G Divina3, Divina Melange, Fiord
- H Full Leather

COM Fabric(m)	COM Leather(m2)
1,00	1.40

FEATURES

CARATTERISTICHE
CARACTERÍSTICAS

Painted frame with epoxy-polyester powder with average thickness of 50 µ. Chromed frame with average thickness of 5 µ.
Telaio verniciato con polveri epossi-poliestere spessore medio di 50 µ. Telaio cromato con spessore medio 5 µ.
Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio. Bastidor cromado con 5 µ de espesor medio.

PKG

IMBALLO
EMBALAJE

Pkg	A(cm)	B(cm)	h(cm)	MC	PCS	Weight (kg)
	53,5	59	89	0.28	2	17,36