




SPECIFICATION

Upholstery Available In Fabric or Leather
 Available C.O.M. / C.O.L.

Required Fabric For Upholstery: 1,85 Lm / 6.07 ft
 Required Leather For Upholstery: 3,91 Sq m / 42.09 ft²

Gross Weight: 24,00 Kg / 52.91 lb
 Volume: 0,38 Cbm / 13.42 ft³
 Box Dimensions: w 670 x d 670 x h 850 mm / 26.38" x 26.38" x 33.46"
 1 per box
 HARMONIZED SYSTEM CODE 94016100

ROUGH-IN DRAWING



STANDARD FEATURES

LEGS FRAME

Steel legs, round section 18 mm diameter. Anti-slip nylon glides assembled, suitable for any type of flooring.
 Frame finish: chromium plating, average thickness 25 microns, or embossed epoxy-polyester powder coating, with double coat anti-scratch treatment average thickness 50 microns.

SEAT & BACK INNER FRAME

Inner structure in stratified beech plywood 18 mm thickness. Backrest support made of steel blade, 8 mm thickness, embossed epoxy-polyester powder coating.

UPHOLSTERY

Foam made of flexible crushproof polyurethane resin ELAST PERFORMANCE characterized by "smart memory", that allows the armchair to recover the initial support even after long and strong pressure. Seat, backrest and armrests padding in differentiated density polyurethane foam. Wadding on seat and back 100 gr/Sq m. CFC-free.

ACCESSORIES

ARMREST

Inner frame in stratified beech plywood 12 mm thickness. Available with Versahit (right or left). Versahit: Powerdock with sliding cover. Standard version with 2 USB (charger) 5V. Sliding cover: black matte painted. 2 meters cables included.

SQUARE OR ROUND COFFEE TABLE

Square coffee table made of MDF, 12 mm thickness. Dimensions w 480 x d 610 x h 110 mm. Round coffee table made of MDF, 20 mm thickness. Diameter 400 mm. Steel support, round section 18 mm diameter.

PILLOWS

Cushions with mixed feather padding. Available in three different sizes: 450 x 270 mm - 350 x 350 mm - 540 x 180 mm.

LINKING DEVICE

Metal Junction mechanism and plate. Required two units to connect two modules.

Available FSC® certified

COUNTRY OF PRODUCTION:

Italy

ENVIRONMENT:

Indoor

WARRANTY:


10 years


OTHERS


-Stitching's Are Made With Continuous Filament Polyester Thread With A Water Repellent Finish Made By Coats® Type Weaverbird™ This Type Of Lubricated Polyester (Tkt 010) Thread Make The Stitching Stronger, Resistant To The Abrasion, And Gives The Product More Tailoring Appearance. Allowing To Read The Forms And Design Of The Product
 -All screws and assembly systems used in the production of Sitia's product are UNI EN ISO 9001-2000 and UNI ISO/TS 16949 process certified



Sitia srl Copyright 2020 - all rights reserved. The described data could be modified without prior communication

Sitia srl · via G. Matteotti 6 36056 · Tezze sul brenta Vicenza Italy
 t +39 0 424 898497 | t +39 0 424 898382 | f +39 0 424 1700102 · www.sitia.com info@sitia.com










Vis-à-vis:



sitalia

MODEL LAGUNA
DESIGN ELENA TREVISAN



A'DESIGN AWARD
WINNER 2018
SILVER

