

Dew Drops Circle loomma





Dew Drops Circle | bomma



Dew Drops Circle | bomma





Dew Drops Circle Inspiration

A circle of radiant, dew-inspired light..

BOMMA expands its iconic Dew Drops Collection with a new addition, Dew Drops Circle, introducing a fresh dimension of circular harmony accented with organically placed droplets of light. This newest member of the Dew Drops family builds on the unusual aesthetics of the original design, where softly glowing drops evoke the delicate morning dew resting on blades of grass. Dew Drops Circle transforms this poetic vision into a more monumental, spatial form: a ring that can be suspended above a dining table, kitchen island, or lobby area to create a striking, elegant lighting accent. The piece feels simultaneously technical and modern, yet gentle and graceful.

Design by Boris Klimek




Dew Drops Circle Production



Dew Drops Circle bomma

Dew Drops Circle Projects





Dew Drops Circle | bomma



Dew Drops Circle | bomma

Dew Drops Circle Options

Options

Pendant

Glass options

- iridescent metal-coating
- smoke metalization

Fitting options

- brushed black
- brushed silver



Dew Drops Circle


Technical Information

DEW DROPS circle

Design by
Boris Klimek

Handmade glass attributes

All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft. The intensity and color shade of the iridescent metal-coating may vary slightly from product to product. Small dots in the coating, especially visible after the light is on, are not a defect of the product.



LIGHTING DESCRIPTION	
Size	mounting dia. 900mm overall dia. 1026mm, height 205 mm
Cable	transparent 2,5 - 15 m (max) / 98,4 - 590,5 inch (max) per specific project
Mounting	brushed silver, brushed black
Material	aluminium
Glass	mouth-blown lead-free crystal glass with titanium nitride coating
Glass colour	iridescent or smoke metalization
Canopy	black powder coat
Weight	+ - 6.8 kg / 15 lb
Protection	IP 20
Nominal voltage	110-240V / A.C. 50-60 Hz (EU) 110-120 V / A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE	
Type	LED MCOB (9x) 23,5W (+-5%), 900mA, 2700lm, 39V
Voltage	Vtyp 10-50V DC, I _{max} 700 mA A.C. 50-60 hz EU, US
Temperature	2700 K
Color index	RA 90+
Dimming	Dimmable with TRIAC, ELV, 0-10V, PUSH, DALI, CASSAMBI

PACKAGING	
Material	Cardboard
Size	1000 × 1000 × 300 mm 39,4 × 39,4 × 11,8 inch
Origin: traditionally produced in the Czech Republic Intellectual property license holder: Bomma Czech Republic (EU) Represented by BMRC group s.r.o.	



step beyond