

FELUCA TABLE 3 stars H 710
5094-3V11
Design BrogliatoTraverso



TABLE TOP SIZES (mm)
DIMENSIONI PIANI TAVOLO (mm).
TAMAÑOS DE TABLEROS DE MESA (mm)

White or black frame


FRAME
TELAIO
FRAME

Metal frame in round tube Ø 50 mm, thickness 2,5 mm, in conformity with UNI EN 10305-3 rules, stars in oval tube 40x20 mm, thickness 1,5 mm, accordingly with UNI EN 10305-3 rule. Painted frame with epoxy-polyester powder with average thickness of 50 µ.
Cornice metallica in tubo tondo Ø 50 mm, spessore 2,5 mm, conforme alla norma UNI EN 10305-3, stelle in tubo ovale 40x20 mm, spessore 1,5 mm, conforme alla norma UNI EN 10305-3. Cornice verniciata con polvere epossipoliestere con spessore medio di 50 µ.
Bastidor metálico de tubo redondo de Ø 50 mm, 2,5 mm de espesor, conforme a la norma UNI EN 10305-3, radios de tubo ovalado 40x20 mm, 1,5 mm de espesor, conforme a la norma UNI EN 10305-3. Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.



TABLE TOP
PIANO TAVOLO
TABLE TOP

Laminate: thickness 30mm
Laminato: spessore 30mm
Laminado: espesor 30mm
HPL (Black core edge): thickness 10mm
HPL (Bordo anima nera): spessore 10mm
HPL (Alma negra): espesor 10mm



Fenix: thickness 10mm
Fenix: spessore 10mm
Fenix: espesor 10mm



TABLE TOP
PIANO TAVOLO
TABLE TOP

Recycled fiberglass: thickness 20mm
Fibra di vetro riciclata: spessore 20mm
Fibra de vidrio reciclada: espesor 20mm



Marble: thickness 20mm
Marmo: spessore 20mm
Mármol: espesor 20mm



TABLE SUPPORT
FEATURES
FINITURE SUPPORTO
TAVOLO
CARACTERÍSTICAS DEL
SOPORTE DE LA MESA

Polished die cast aluminium.
Alluminio pressofuso lucidato.
Aluminio fundido a presión pulido

PKG
IMBALLO
EMBALAJE

Pkg Table Top	A(mm)	B(mm)	C(mm)	PCS	Weight LM (kg)	Weight HPL white	Weight HPL other	Weight FX (kg)	Weight AC* (kg)	Weight RFS* (kg)	Weight MRM*
Ø600	625	625	65	1	6.7	6	8	6	7	14.5	
Ø700	725	725	65	1	9	7	9	7	9.5	20	
600x600	625	625	65	1	8	7	9.5	7	9	18.5	
700x700	725	725	65	1	11	9	13	9	12	25	

Pkg Frame	A(mm)	B(mm)	C(mm)	PCS	Weight (kg)
	800	800	720	1	5

Reproduction of this document is strictly prohibited without prior written authorisation from Omp srl. Sizes, weights and finishes may change without previous notice.
È vietata la riproduzione del seguente documento senza previa autorizzazione scritta da parte di Omp srl. Dimensioni, pesi e finiture possono variare senza alcun preavviso.
La reproducción de este documento está estrictamente prohibida sin la autorización previa de Omp srl. Los tamaños, pesos y acabados pueden cambiar sin previo aviso.

FELUCA TABLE 3 stars H 1070
5094-3V21
Design BrogliatoTraverso



TABLE TOP SIZES (mm)
DIMENSIONI PIANI TAVOLO (mm).
TAMAÑOS DE TABLEROS DE MESA (mm)

White or black frame

FRAME
TELAIO
FRAME

Metal frame in round tube Ø 50 mm, thickness 2,5 mm, in conformity with UNI EN 10305-3 rules, stars in oval tube 40x20 mm, thickness 1,5 mm, accordingly with UNI EN 10305-3 rule. Painted frame with epoxy-polyester powder with average thickness of 50 µ.
Cornice metallica in tubo tondo Ø 50 mm, spessore 2,5 mm, conforme alla norma UNI EN 10305-3, stelle in tubo ovale 40x20 mm, spessore 1,5 mm, conforme alla norma UNI EN 10305-3. Cornice verniciata con polvere epossipoliestere con spessore medio di 50 µ.
Bastidor metálico de tubo redondo de Ø 50 mm, 2,5 mm de espesor, conforme a la norma UNI EN 10305-3, radios de tubo ovalado 40x20 mm, 1,5 mm de espesor, conforme a la norma UNI EN 10305-3. Bastidor con recubrimiento en polvo epoxi-poliéster con 50 µ de espesor medio.



TABLE TOP
PIANO TAVOLO
TABLE TOP

Laminate: thickness 30mm
Laminato: spessore 30mm
Laminado: espesor 30mm

HPL (Black core edge): thickness 10mm
HPL (Bordo anima nera): spessore 10mm
HPL (Alma negra): espesor 10mm



Steel: thickness 3mm
Acciaio: spessore 3mm
Acero: espesor 3mm



Fenix: thickness 10mm
Fenix: spessore 10mm
Fenix: espesor 10mm



TABLE TOP
PIANO TAVOLO
TABLE TOP

Recycled fiberglass: thickness 20mm
Fibra di vetro riciclata: spessore 20mm
Fibra de vidrio reciclada: espesor 20mm



Marble: thickness 20mm
Marmo: spessore 20mm
Mármol: espesor 20mm



TABLE SUPPORT
FEATURES
FINITURE SUPPORTO
TAVOLO
CARACTERÍSTICAS DEL
SOPORTE DE LA MESA

Polished die cast aluminium.
Alluminio pressofuso lucidato.
Aluminio fundido a presión pulido

PKG
IMBALLO
EMBALAJE

Pkg Table Top	A(mm)	B(mm)	C(mm)	PCS	Weight LM (kg)	Weight HPL white	Weight HPL other	Weight FX (kg)	Weight AC* (kg)	Weight RFS* (kg)	Weight MRM*
Ø600	625	625	65	1	6.7	6	8	6	7	14.5	
Ø700	725	725	65	1	9	7	9	7	9.5	20	
600x600	625	625	65	1	8	7	9.5	7	9	18.5	
700x700	725	725	65	1	11	9	13	9	12	25	

Pkg Frame	A(mm)	B(mm)	C(mm)	PCS	Weight (kg)
	800	800	1090	1	6