






# Chart of categories and materials

## Guida alle tipologie e ai materiali

LIGHTING	SUSPENSION VERSION	TABLE VERSION	FLOOR VERSION	WALL VERSION	METAL	PLASTIC MATERIAL	OUTDOOR VERSION
Colette	●	●	●	●	●	●	●
Giravolta	●	●	●	●	●	●	●
Happy Apple	●	●	●	●	●	●	●
L001 CW SUSPENSION	●	●	●	●	●	●	●
L001 S SUSPENSION	●	●	●	●	●	●	●
L001 ST FLOOR	●	●	●	●	●	●	●
L001 SW SUSPENSION	●	●	●	●	●	●	●
L001 T FLOOR	●	●	●	●	●	●	●
L001 TA TABLE	●	●	●	●	●	●	●
L001 W WALL	●	●	●	●	●	●	●
L002 CW SUSPENSION	●	●	●	●	●	●	●
L002 S SUSPENSION	●	●	●	●	●	●	●
L002 ST FLOOR	●	●	●	●	●	●	●
L002 SW SUSPENSION	●	●	●	●	●	●	●
L002 T FLOOR	●	●	●	●	●	●	●
L002 W WALL	●	●	●	●	●	●	●
L004 CW SUSPENSION	●	●	●	●	●	●	●
L004 S SUSPENSION	●	●	●	●	●	●	●
L004 SW SUSPENSION	●	●	●	●	●	●	●
L004 W WALL	●	●	●	●	●	●	●
Time Out	●	●	●	●	●	●	●

# Legend

## Legenda



**All dimensions are expressed in millimeters**  
Tutte le dimensioni sono espresse in millimetri



**Product suitable for outdoor use**  
Prodotto adatto per utilizzo in esterni



**Product not recommended for outdoor use**  
Prodotto non adatto per utilizzo in esterni



**Declaration of European conformity**  
Dichiarazione di conformità Europea

# Lighting index

## Indice lampade

PRODUCT NAME NOME PRODOTTO	PAGE PAGINA	PRODUCT NAME NOME PRODOTTO	PAGE PAGINA
<b>Colette</b>	032	<b>L002</b>	088
<b>L003TA</b> TABLE	036	<b>L002 CW</b> SUSPENSION	110
<b>L003TB</b> TABLE	038	<b>L002 S</b> SUSPENSION	096
<b>Giravolta</b>	010	<b>L002 ST</b> FLOOR	100
<b>1799</b> TABLE	016	<b>L002 SW</b> SUSPENSION	098
<b>1799/50</b> TABLE	020	<b>L002 T</b> FLOOR	102
<b>1799/130</b> FLOOR	022	<b>L002 W</b> WALL	099
<b>Happy Apple</b>	140	<b>L004</b>	114
<b>330, 331, 332</b> FLOOR	148	<b>L004 CW</b> SUSPENSION	129
<b>330A</b> WALL	140	<b>L004 S</b> SUSPENSION	119
<b>330E - 331E</b> SUSPENSION / FLOOR	147	<b>L004 SW</b> SUSPENSION	120
<b>332E</b> FLOOR	150	<b>L004 W</b> WALL	121
<b>330S, 331S</b> SUSPENSION	144	<b>Time Out</b>	132
<b>L001</b>	046		
<b>L001 CW</b> SUSPENSION	070		
<b>L001 S</b> SUSPENSION	054		
<b>L001 ST</b> FLOOR	064		
<b>L001 SW</b> SUSPENSION	058		
<b>L001 T</b> FLOOR	066		
<b>L001 TA</b> TABLE	060		
<b>L001 W</b> WALL	062		

“Light is warm,  
light is cold,  
light gives atmosphere,  
light decorates,  
light creates intimacy”

ALBERTO BASAGLIA NATALIA ROTA NODARI

“La luce è calda,  
la luce è fredda,  
la luce fa atmosfera,  
la luce arreda,  
la luce crea intimità”

# Giravolta

## The wireless outdoor lighting

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2017

EN — Inspired by Lanterns of times past, it is a wireless lighting distinguished by a contemporary design and suitable for outdoor environments. The name reflects its essence: the swivelling diffuser and the rechargeable feature recalls the great inventor Alessandro Volta and his main discovery, the battery.

IT — Ispirata alle lanterne di un tempo, Giravolta è una lampada wireless ricaricabile dal design contemporaneo, adatta per l'outdoor. Nel nome tutta la sua essenza: da un lato il suo diffusore orientabile, dall'altro il suo essere ricaricabile da cui il riferimento ad Alessandro Volta e alla sua principale invenzione, la pila.



Lighting lampada Giravolta  
Lounge armchair poltrona lounge Babila Comfort  
Pouf Buddy  
Coffee table tavolino Buddy  
Cushion cuscino Social Plus





EATING



Lighting lampada Giravolta  
Armchair poltrona Babila  
Table tavolo Babila

LIVING



Lighting lampada Giravolta  
Sofa divano Social  
Coffee table tavolino Malmö

# Lighting

## Lampada




1799





FLOOR / DA TERRA



Height  
Altezza  
1300 mm

1799/130

FLOOR / DA TERRA



Micro  
USB plug  
Connettore  
USB micro



## Caffè del Tasso

Piazza Vecchia  
Bergamo, Italy

**Project:** Café & Restaurant

**Products:** Giravolta lighting, Nolita side chair, armchair, barstool and table, Liberty table, Ara armchair, Glam chair

## #Pedraligoodideas

Salone Internazionale  
del Mobile 2018  
Milan, Italy

**Project:** Exhibition stand

**Architect:** CalviBrambilla

**Products:** Giravolta lighting,  
Reva sofa and lounge armchair,  
Buddy coffee table





## Bohem La Stazione

Paratico, Italy

**Project:** Florist, Café & Restaurant

**Products:** Giravolta lighting,  
Tweet armchair, Inox table, Log armchair,  
Nolita armchair, chaise-longue and table





## Temporary installation

Paratico, Italy

Project: Outdoor

Products: Giravolta lighting,  
Intrigo armchair, Laja table







## Pedrali Solid Geometry

Salone Internazionale  
del Mobile 2017  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** Giravolta lighting, Nolita table,  
armchair and chaise-longue

### SIZES / DIMENSIONI

**1799**

Wireless polypropylene  
and aluminium lighting

**1799/50**

Wireless polypropylene  
and aluminium lighting

**1799/130**

Wireless polypropylene  
and aluminium lighting

**1799\_MGN\_10**

Magnet kit, suitable for items  
1799 and 1799/50



### electrical features / caratteristiche elettriche


- **Light:** LED ARRAY 2W 3,7V 500mA 3000K 157 lm Class III
- **Battery:** Lithium battery (Li-Po), over 8 hours operating time
- **Cable:** black, length 1,3 mtrs, with micro USB cable and battery charger with Europlug type C (europlug 7/16), for indoor use

### AWARDS / PREMI



### FINISHES / FINITURE

polypropylene and aluminium / polipropilene e alluminio



### CERTIFICATES / CERTIFICAZIONI

EN 60598-2-4:1997 used in compliance with EN 60598-1:2015 (test report 0099CE17)  
EN 60598-2-4:1997 usato in conformità con EN 60598-1:2015 (test report 0099CE17)

IP65 Suitable for outdoor use / IP65 Adatto per uso esterno



# Colette

## Iconic light

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2013

EN — Colette is a table or bedside lamp in polycarbonate that stands out for its sculptural shapes and the colour. A translucent cylinder diffuses the light only in correspondence of the half-sphere. Its transparency gives lightness to the whole lamp.

IT — Colette è una lampada da tavolo o da comodino in policarbonato che si esprime attraverso la plasticità delle forme e il colore. Un cilindro traslucido tenta di imprigionare la luce che si libera pienamente solo in corrispondenza della semisfera che con la sua trasparenza dona leggerezza all'intera lampada.



LIVING

Lighting lampada Colette  
Low table tavolino Malmö  
Lounge armchair poltrona lounge Malmö Relax



SLEEPING

Lighting lampada Colette  
Low table tavolino Code  
Pouf Wow



# Lighting

## Lampada







## Pedrali Solid Geometry


Salone Internazionale  
del Mobile 2017  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** Colette L003TB lighting,  
Oblique bar counter

## #Pedraligoodideas

Salone Internazionale  
del Mobile 2018  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** Colette L003TB lighting,  
Oblique bar counter



## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

**Project:** Showroom  
**Architect:** CalviBrambilla  
**Products:** Colette L003TB lighting,  
Oblique bar counter, Babila barstool



## Pedrali Light frames

Salone Internazionale  
del Mobile 2015  
Milan, Italy

**Project:** Exhibition stand

**Architect:** Migliore+Servetto Architects

**Products:** Colette L003TA and L001 S/BA lighting,  
Ester side chair and armchair, Inox table,  
Modus modular seating, Stylus table,  
Malmö armchair, Tivoli side chair and armchair

### SIZES / DIMENSIONI

#### L003TA

Polycarbonate lighting




#### L003TB

Polycarbonate lighting



### FINISHES / FINITURE

polycarbonate / policarbonato



cable / cavo



TR

electrical features / caratteristiche elettriche

- Light L003TA: MAX 1X12W E14 220-240V 50/60 Hz IP20 Class II
- Light L003TB: MAX 1X24W E27 220-240V 50/60 Hz IP20 Class II

Light bulb included  
Lampadina inclusa

### CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N° 0260CE16)  
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009 (test report N°0146CE13 • N° 0260CE16)

**CE** Declaration of European conformity  
Dichiarazione di conformità Europea



# L001

## Lighting time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2009

EN — L001 is a collection of indoor lamps with a iconic design consisting of two polycarbonate diffusers, thanks to its modularity creates up to five different combinations. An aery atmosphere made possible by a translucent diffuser as the glass, but with the features of moulded polycarbonate.

IT — L001 è una collezione di lampade indoor dal design rigoroso composta da elementi, tra i quali due diffusori in policarbonato capaci di creare fino a cinque diverse combinazioni. Un'atmosfera eterea resa possibile da un diffusore traslucido come il vetro, ma con tutte le qualità del policarbonato stampato.



MEETING



LOUNGING



EATING

EATING

Lighting lampada L001SW/A  
Side chair sedia Osaka  
Armchair poltrona Osaka  
Modular seating seduta modulare Modus  
Table tavolo Inox



EATING



Lighting lampada L001W40/A  
Armchair poltrona Vic  
Modular seating seduta modulare Modus  
Table tavolo Inox

WAITING



Lighting lampada L001ST/B  
Lounge armchair poltrona lounge Malmö Lounge, Malmö Relax  
Coffee table tavolino Malmö

# Lighting

## Lampada




L001S/A

Polycarbonate diffuser,  
white glossy finish  
Diffusore in policarbonato,  
finitura bianco lucido



Two polycarbonate  
diffusers, glossy finish  
Due diffusori in policarbonato,  
finitura lucida

L001S/AA



**EASY LINK**  
**patented system**  
Sistema EASY LINK  
brevettato



**Polycarbonate diffuser,**  
**soft-touch finish**  
Diffusore policarbonato,  
finitura soft-touch



L001S/BA



L001S/B







WALL / DA PARETE



Polycarbonate diffuser,  
matt black laquered  
Diffusore in policarbonato  
laccato nero opaco

L001W40/A

WALL / DA PARETE



Steel tube frame  
Telaio in tubo di acciaio

L001W40/B



L001W20/AA



L001W90/B



L001ST/B



L001ST/BA



L001T/B



L001T/BA



## Transparent atmospheres

IMM 2018  
Cologne, Germany

Project: Exhibition stand  
Architect: CalviBrambilla  
Products: L001SW/BA lighting,  
Fox armchair, Babila table



## Pedrali Solid Geometry

Salone Internazionale  
del Mobile 2017  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** L001CW/AA and L001ST/B  
lighting, Arki-Table, Babila armchair

## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

**Project:** Showroom  
**Architect:** CalviBrambilla  
**Products:** L001CW/AA lighting,  
Jazz barstool, Ikon table





## Cadebasi Franciacorta

Erbusco, Italy

**Project:** Café & Restaurant  
**Products:** L001CW/AA lighting,  
 Jil barstool, Babila side chair,  
 Arki-Base table, Arki-Table, Modus  
 modular seating, Dome side chair

## Pedrali Urban Life

Salone Internazionale  
 del Mobile 2016  
 Milan, Italy

**Project:** Exhibition stand  
**Architect:** Migliore+Servetto Architects  
**Products:** L001CW/A and L001CW/B  
 lighting, Social and Social Plus modular  
 seatings, Inox table, Malmö table,  
 Stylus table, Babila barstool



## Temporary Installation

Bergamo, Italy

Project: Coffee bar

Products: L001S/B lighting,  
Day Dream chair



## Pedrali Urban Life

Salone Internazionale  
del Mobile 2016  
Milan, Italy

Project: Exhibition stand

Architect: Migliore+Servetto Architects

Products: L001W90/A lighting, Modus  
modular seating, Inox table, Tivoli side chair  
and armchair, Malmö side chair and armchair,  
Ester side chair and armchair



## Pedrali Light Frames

Salone Internazionale  
del Mobile 2015  
Milano, Italy

**Project:** Exhibition stand  
**Architect:** Migliore+Servetto Architects  
**Product:** L001ST/B lighting, Malmö Relax  
loung armchair and coffee table

## Pedrali Flying Boxes

Salone Internazionale  
del Mobile 2014  
Milano, Italy

**Project:** Exhibition stand  
**Architect:** Migliore+Servetto Architects  
**Product:** L001S/A lighting,  
Brera barstool






**L001S/A**  
Suspension lamp with polycarbonate diffuser



**L001S/B**  
Suspension lamp with polycarbonate diffuser



**L001SW/A**  
Suspension lamp with polycarbonate diffuser



**L001SW/B**  
Suspension lamp with polycarbonate diffuser



**L001S/AA\* (A+A)**  
Suspension lamp with two polycarbonate diffusers



**L001S/BB\* (B+B)**  
Suspension lamp with two polycarbonate diffusers



**L001SW/AA\* (A+A)**  
Suspension lamp with two polycarbonate diffusers



**L001S/BA\* (B+A)**  
Suspension lamp with two polycarbonate diffusers




**L001SW/BA\* (B+A)**  
Suspension lamp with two polycarbonate diffusers



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

ceiling rose / rosone



electrical features / caratteristiche elettriche

- **L001S Light:** MAX 1X75W E27 220-240V 50-60 Hz IP20 Class I
- **L001SW Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

**L001S**  
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

**L001SW**  
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L001CW/A\_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/B\_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/AA\*\_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



L001CW/BA\*\_3, 6, 8

Suspension lamp with polycarbonate diffuser, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF  
Matt black  
Nero opaco


electrical features / caratteristiche elettriche

- L001CW Light: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


L001CW  
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L001TA/A

Table lamp, steel frame, polycarbonate diffuser



L001TA/AA\* (A+A)

Table lamp, steel frame, two polycarbonate diffusers



\*Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



\_BI300  
White  
Bianco

\_NERO  
Black  
Nero

electrical features / caratteristiche elettriche

- L001TA Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4: 1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)  
EN60598-2-4: 1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)



**L001W20/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W40/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W90/A**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W20/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



**L001W40/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



**L001W90/AA\* (A+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffusers



**L001W40/B**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W90/B**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W40/BA\* (B+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser



**L001W90/BA\* (B+A)**

Wall lamp with visible black cable, matt steel frame, polycarbonate diffuser




\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

**cable clamp / fissacavo**



**NEF**  
Matt black  
Nero opaco

**frame / struttura**



**NEF**  
Matt black  
Nero opaco

**\_OA**  
Antique brass  
Ottone anticato

**electrical features / caratteristiche elettriche**

- **L001W Light:** MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

**CERTIFICATES / CERTIFICAZIONI**


EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L001ST/B

Floor lamp, steel frame, polycarbonate diffuser



L001ST/BA\* (B+A)

Floor lamp, steel frame, two polycarbonate diffusers



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio




electrical features / caratteristiche elettriche

- L001ST Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008+A11:2009 (test report N°0087CE10)  
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008+A11:2009 (test report N°0087CE10)



SIZES / DIMENSIONI

L001T/B

Floor lamp version with a steel base, polycarbonate diffuser, foot pedal to switch on



L001T/BA\* (B+A)


Floor lamp version with a steel base, two polycarbonate diffusers, foot pedal to switch on



\*Inner diffuser = colour BI only  
Diffusore interno = solo colore BI

FINISHES / FINITURE

steel base / base in acciaio



electrical features / caratteristiche elettriche

- L001T Light: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class I

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0285CE09)  
EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 (test report N°0285CE09)



FINISHES / FINITURE

---

polycarbonate diffuser / diffusore in policarbonato

---


transparent / trasparente

---




solid colour

---



soft-touch coated / verniciato finitura soft-touch

---



# L002

## Lighting Time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Distinguished by soft and sinuous shapes, the L002 collection is the result of combining two moulded polycarbonate shells. The inner shell diffuses the light and hides the bulb, while the outer diffuser comes in different colours.

IT — Caratterizzata da forme morbide e sinuose, la collezione L002 nasce dall'unione di due gusci in polycarbonato stampato. Il guscio interno diffonde la luce nascondendo la lampadina; quello esterno può essere in diversi colori.



Lighting lampada L002T/BA  
Sofa divano Social Plus  
Coffee table tavolino Code



EATING

Lighting lampada L002S/BA  
Side chair sedia Babila  
Table tavolo Ikon Big



WORKING

Lighting lampada L002T/BA  
Chair sedia Koi-Booki  
Table tavolo Arki-Table





WORKING

WORKING



Lighting lampada L002T/BA  
Armchair poltrona Laja  
Table tavolo Arki-Table  
Pot vaso Kado 2  
Umbrella stand portaombrelli Brik  
Clotheshanger appendiabiti Flag Wall

# Lighting

## Lampada



Polycarbonate diffusers  
white glossy finish  
Diffusori in policarbonato  
bianco lucido



Stainless steel  
hanging cable  
and transparent  
electric cable  
Cavo in acciaio  
portante con cavo  
elettrico trasparente



SUSPENSION / SOSPENSIONE



WALL / DA PARETE





Steel structure,  
matt finish  
Struttura in acciaio,  
finitura opaca

L002ST/BA





L002T/BA





## Private house

Milan, Italy

Project: Private house

Products: L002T/BA and L002ST lighting,  
Noa side chair, Arki-Table

## Transparent atmospheres

IMM 2018  
Cologne, Germany

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** L002SW/BA lighting,  
Arki-Table, Nym side chair and armchair





## Private office


Bergamo, Italy

**Project:** Office  
**Products:** L002ST/BA lighting,  
 Host modular seating,  
 Noa side chair

### SIZES / DIMENSIONI


#### L002S/BA

Suspension lamp with two polycarbonate diffusers



#### L002SW/BA


Suspension lamp with two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

### FINISHES / FINITURE

#### ceiling rose / rosone



#### electrical features / caratteristiche elettriche

- Light L002S: MAX 1x75W E27 220-240V 50-60Hz IP20 Class I
- Light L002SW: MAX 1x23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

### CERTIFICATES / CERTIFICAZIONI

L002S  
 EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
 EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)

L002SW  
 EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
 EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)





SIZES / DIMENSIONI

L002CW/BA\_3, 6, 8

Suspension lamp with two polycarbonate diffusers, cable length 3000, 6000, 8000 mm, with 2, 4, 5 cable clamp



Inner diffuser = colour BI only / Diffusore interno = solo colore BI

FINISHES / FINITURE

cable clamp / fissacavo



NEF  
Matt black  
Nero opaco


electrical features / caratteristiche elettriche

- Light L002CW: MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L002CW  
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI

L002W40/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



L002W90/BA

Wall lamp with visible black cable and steel frame in matt finish, two polycarbonate diffusers



Inner diffuser = colour BI only / Diffusore interno = solo colore BI


FINISHES / FINITURE

cable clamp / fissacavo



NEF  
Matt black  
Nero opaco

steel frame / struttura in acciaio



NEF  
Matt black  
Nero opaco

\_OA  
Antique brass  
Ottone anticato

electrical features / caratteristiche elettriche

- Light L002W: MAX 1X23W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI


EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



SIZES / DIMENSIONI


L002T/BA

Polycarbonate diffusers, steel frame



L002ST/BA

Two polycarbonate diffusers, steel frame



FINISHES / FINITURE


polycarbonate diffuser / diffusore in policarbonato

transparent / trasparente

solid colour



TR




GT



RT




NE



BI

soft-touch coated / verniciato finitura soft-touch




GA

FINISHES / FINITURE

steel base / base in acciaio

electrical features / caratteristiche elettriche



\_BI300  
White  
Bianco

\_NERO  
Black  
Nero

\_OA  
Antique brass  
Ottone anticato  
L002ST/BA  
only

- Light L002T: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb excluded / Lampadina esclusa


- Light L002ST: MAX 1X100W E27 220-240V 50-60 Hz IP20 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

L002T  
EN60598-2-4:1997 used in compliance with EN 60598-1:2008 (test report N°0146CE11)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0146CE11)

L002ST  
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report 0262CE12)



# L004

## Lighting Time

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2014

EN — L004 is a natural development of model L002. The outer diffuser vanishes showing the sinous outlines of the inner diffuser in moulded polycarbonate. Defined by soft sleek lines, the collection consists of suspension lamps.

IT — L004 nasce da un'evoluzione naturale di L002. Il guscio esterno scompare a scoprire le linee sinuose del diffusore interno in policarbonato stampato. Caratterizzata da morbidezza e sinuosità, la collezione si compone di lampade a sospensione.



EATING



Lighting lampada L004S/A  
Chair sedia Brera  
Table tavolo Fabbrico  
Barstool sgabello Brera

EATING

EATING

Lighting lampada L004SW/A  
Chair sedia Frida  
Table tavolo Inox



Lighting lampada L004S/A  
Table Tavolo Ikon Big  
Armchair poltrona Gliss



## Lighting Lampada



Polycarbonate diffuser,  
soft-touch finish  
Diffusore policarbonato,  
finitura soft-touch



Visible cable and matt  
painted metal frame  
available in two sizes  
Cavo a vista e braccio  
in metallo verniciato  
opaco in due dimensioni



# Transparent atmospheres

IMM 2018  
Cologne, Germany

**Project:** Exhibition stand  
**Architect:** CalviBrambilla  
**Products:** L004SW/A lighting, Babila armchair and table, Babila Comfort lounge chair, Malmö coffee table, Fox armchair



## Ironic Office

Orgatec 2016  
Cologne, Germany

Project: Exhibition stand  
Architect: CalviBrambilla  
Products: L004S/A lighting,  
Arki-Table, Dome side chair







## Private house

Desenzano del Garda, Italy

**Project:** Private house

**Products:** L004SW/A lighting,  
Babila side chair, Ikon Big table

## Industrial Symphony

Pedrali Headquarters,  
Mornico al Serio, Italy

**Project:** Showroom

**Architect:** CalviBrambilla


**Products:** L004SW/A lighting,  
Arki-Table, Laja Wings armchair,  
Vic armchair, Ikon table



SIZES / DIMENSIONI

L004S/A

Polycarbonate diffuser,  
white ceiling rose transparent cable




L004SW/A

Polycarbonate diffuser,  
black ceiling rose and cable



FINISHES / FINITURE

ceiling rose / rosone



electrical features / caratteristiche elettriche


- Light L004S: MAX 1x75W E27 50-60Hz 220-240V IP20 Classe I
- Light L004SW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

L004S  
EN60598-2-1:1989 used in compliance with EN 60598-1:2008 (test report N°0262CE12)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2008 (test report N°0262CE12)

L004SW  
EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

L004CW/A\_3/6/8

Suspension lamp with two  
polycarbonate diffusers, cable  
length 3000, 6000, 8000 mm,  
with 2, 4, 5 cable clamp



FINISHES / FINITURE

cable clamp / fissacavo



NEF  
Matt black  
Nero opaco

electrical features / caratteristiche elettriche

- Light L004CW: MAX 1x23W E27 220-240V IP20 Class II

Light bulb excluded / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



SIZES / DIMENSIONI

**L004W40/A**

Wall applique version, visible black cable and powder coated steel frame in matt finish



**L004W90/A**

Wall applique version, visible black cable and powder coated steel frame in matt finish



FINISHES / FINITURE

**cable clamp** / fissacavo



**NEF**  
Matt black  
Nero opaco

**steel frame** / struttura in acciaio



**\_OA**  
Antique brass  
Ottone anticato



**NEF**  
Matt black  
Nero opaco


**electrical features** / caratteristiche elettriche

- **Light L004W:** MAX 1x23W E27 220-240V 50-60Hz IP20 Class II

**Light bulb excluded** / Lampadina esclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-1:1989 used in compliance with EN 60598-1:2015 (test report 0104CE16)  
EN60598-2-1:1989 usato in conformità con EN 60598-1:2015 (test report 0104CE16)



FINISHES / FINITURE

**polycarbonate diffuser** / diffusore in policarbonato

**soft-touch coated** / verniciato finitura soft-touch



# Time Out

## Soft atmosphere

DESIGN  
Alberto Basaglia - Natalia Rota Nodari, 2011

EN — Time Out is a floor lamp in polyethylene designed to illuminate gardens, terraces and outdoor spaces. Simple and well-made, its archetyp design offers practical handling. Time Out is particularly suitable for valorizing contemporary or classic environments.

IT — Time Out è una lampada da terra in polietilene stampato pensata per illuminare giardini, terrazze e zone outdoor. Pratica da movimentare, grazie alla sua forma archetipica, Time Out è particolarmente adatta per inserirsi in ambienti contemporanei o classici.



## Lighting

### Lampada



Floor lamp in rotational  
moulded polyethylene  
Lampada da terra in polietilene  
stampato in rotazionale

T\_OUT/BI\_LUCE



## Touchpoint Co-Design experiments

La Triennale di Milano, Italy

**Project:** Temporary conference room

**Products:** Time Out lighting,  
Happy Apple lighting, Giravolta lighting,  
Ara Lounge armchair, Nolita table.



## Nò-Do

Paratico, Italy

**Project:** Restaurant

**Products:** Time Out lighting,  
Happy Apple lighting, Ara side chair  
and armchair, Ikon table, Twig chair,  
Ypsilon table





## Private house

Bergamo, Italy

Project: Outdoor

Products: Time Out lighting,  
Tetris bar counter, Kado pot

### SIZES / DIMENSIONI


**T\_OUT/BI\_LUCE**  
Polyethylene lighting

**T\_OUT\_FIX**  
Floor fixing kit



### FINISHES / FINITURE

polyethylene / polietilene



BI

**electrical features** / caratteristiche elettriche

- **Light:** MAX 2x27W E27 220-240V 50/60 Hz IP44 Class II

**Lighting kit included** / Kit illuminazione compreso

### CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)  
EN60598-2-4:1997 used in conjunction with EN 60598-1:2008 + A11:2009 (test report N°0280CE11)

**CE** Declaration of European conformity  
Dichiarazione di conformità Europea

# Happy Apple

## Lighting temptation

DESIGN

Alberto Basaglia - Natalia Rota Nodari, 2012

EN — Happy Apple is a collection of lamps made-up of polyethylene lighting body that perfectly fits both indoor and outdoor use. Multipurpose and versatile, it can be a suspension lamp, a floor lamp or an applique.

IT — Happy Apple è una collezione di lampade realizzata con corpo illuminante in polietilene che si adatta perfettamente sia all'uso interno sia alla collocazione outdoor. Polivalente e versatile, può essere una lampada a sospensione, da terra, oppure un'applique da parete.





WORKING

WORKING

Lighting lampada Happy Apple  
Armchair poltrona Log  
Table tavolo Arki-Table  
Coffee table tavolino Code  
Lounge armchair poltrona lounge Log



# Lighting


## Lampada





Suspension version  
for indoor use  
Versione a sospensione  
per indoor  
Ø 500 mm

330S



Energy class A bulb  
Lampadina di classe  
energetica A

330E





Floor lamp version for outdoor,  
optional fixing kit on the floor  
Versione da terra per outdoor,  
kit di fissaggio a terra opzionale  
Ø 1200 mm

332E





## Private house

Brescia, Italy

**Project:** Private house

**Products:** Happy Apple 330E,  
331E, 332E lighting




## Bulgari Hotel Milano

Milan, Italy

**Project:** Temporary installation

**Architect:** Migliore+Servetto Architects

**Product:** Happy Apple 330E,  
331E, 332E lighting





## Settepertredici

Brescia, Italy

**Project:** Outdoor

**Products:** Happy Apple 330E, 331E, 332E lighting, Host Lounge modular seating, Igloo bar counter, Rubik barstool



## Štravs Gostilna

Šmarje pri Jelšah, Slovenia

**Project:** Restaurant

**Architect:** Ab objekt d.o.o.

**Products:** Happy Apple 330E, 331E, 332E lighting, Ikon table, Babila armchair, Malmö armchair, Osaka Metal barstool, Gliss Lounge armchair



## A Wheel for Pedrali


Salone Internazionale  
del Mobile 2012  
Milan, Italy

**Project:** Exhibition stand  
**Architect:** Migliore+Servetto Architects  
**Products:** Happy Apple 330E,  
331E lighting, Tetris bar counter

## Green Design

Piazza Antico Lavatoio  
Bergamo, Italy

**Project:** Temporary installation  
**Products:** Happy Apple 330E lighting,  
Ikon bench modular seating,  
Giravolta lighting, Ara Lounge armchair





SIZES / DIMENSIONI

**330E**

Floor polyethylene lighting for outdoor



Suspension polyethylene lighting for outdoor



**331E**

Floor polyethylene lighting for outdoor



Suspension polyethylene lighting for outdoor



**332E**

Floor polyethylene lighting for outdoor




FINISHES / FINITURE


polyethylene / polietilene



cable, cap and handle / cavo, tappo e maniglia



BI



VE

electrical features / caratteristiche elettriche

- **Light:**  
**330E** MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II  
**331E • 332E:** MAX 1x32W E27 220-240V 50/60 Hz IP65 Class II

Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009  
 EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity  
 Dichiarazione di conformità Europea

SIZES / DIMENSIONI

**330**

Floor polyethylene lighting



**330S**

Suspension polyethylene lighting



**331**

Floor polyethylene lighting



**331S**

Suspension polyethylene lighting




**332**

Floor polyethylene lighting



**330A**

Wall/ceiling polyethylene lighting




FINISHES / FINITURE


polyethylene / polietilene

cap and handle / tappo e maniglia

ceiling rose / rosone



BI



BI



RB

electrical features / caratteristiche elettriche

- **Light:**  
**330S • 331S:** MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II  
**330A:** MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II  
**330:** MAX 1x15W E27 220-240V 50/60 Hz IP20 Class II  
**331 • 332:** MAX 1x32W E27 220-240V 50/60 Hz IP20 Class II
- Light bulb included / Lampadina inclusa

CERTIFICATES / CERTIFICAZIONI

EN60598-2-4:1997 used in compliance with EN 60598-1:2008 + A11:2009  
 EN60598-2-4:1997 usato in conformità con EN 60598-1:2008 + A11:2009



Declaration of European conformity  
 Dichiarazione di conformità Europea

## Pedrali Lighting | Edition June 2019

**Creative & design direction** Leftloft

**Print** Intese Grafiche

**Copyright** © 2019, Pedrali S.p.A. All rights reserved

### Photo credits

BHM Studio

Beppe Brancato

Mattia Pagani

Ottavio Tomasini

Chiara Berselli

Elisabetta Brian

Matej Lozar

### Thanks to

Alessi

Bohem Fiori

CC-Tapis

Gio Pastori

Interno 8

Livellara

Marazzi

Mario Luca Giusti

Mepra

Moleskine

Society

### Styling

Elena Caponi

Sissi Valassina

---

**Pesi, dimensioni e colori sono indicativi. Pedrali si riserva la facoltà di apportare modifiche o migliorie senza alcun preavviso.**

Weights, measurements and colours are indicative. Pedrali reserves the right to modify or upgrade the products without prior notice.

### Industrial property right | Diritto di proprietà industriale

**I contenuti del presente catalogo, quali, a titolo esemplificativo, le opere, le immagini, le fotografie, i documenti, i disegni, le figure, i loghi ed ogni altro materiale, in qualsiasi formato, pubblicato sono protetti a livello mondiale dal diritto d'autore e da ogni altro diritto di proprietà intellettuale di PEDRALI.**

The contents of the present catalogue such as, by way of example, the works, the images, the pictures, the documents, the drawings, the forms, the logos and all other materials, published in any format, are worldwide protected by copyrights and any other industrial intellectual property right of Pedrali.

