





Three letters and creativity takes shape. It arranges, detaches, changes and has fun. It is the ADD seating system, which elegantly meets the needs of contemporary work environments and space sharing. It is also an international award-winning success. Comfortable and versatile, the basic seating represents the first syllable of a language that speaks to different worlds. Two furniture elements can create a sofa. In a line, internal and external backrests join and separate tiny communities, with small tables and accessories for tablets and notebooks included in the composition. Countless combinations, a circle that encompasses the extremities of a meeting.











One seater

Two seater

Three seater







Classic mini

Classic mini - double

Side by side







Vis-à-vis — small

Vis-à-vis — big

Classic








Stool

Bench

Long bench







Square bench

Square bench system



Lounge



Lounge - double





Sofa



L_shape



C_shape




L_shape - big



L_shape - open








X_shape


T_shape






V_shape in


V_shape out






S_shape

Big lounge







Round in

Round out





U_shape



S_shape - big



Two





Four

One












Modular seating system with powder coated aluminium frame with webbed elastic support. Two types of recycled diecast aluminium legs, one for corners and another to connect frames for larger configurations. Each leg type is available in two heights. Backrests and accessories can be fixed to the frame in several positions by using existing holes. Cushions and backrests in moulded polyurethane foam with polyester fiber, all fire-retardant, upholstered with removable fabric, soft leather or eco-leather. ADD is complemented by several accessories in HPL Fenix® 10 mm.: tops, trays, magazine racks, box for sockets. All metal parts are powder coated.

TEST EN 1728:2012 AC:2013 6.17 - EN 16139:2013 - L2 extreme TEST 1 IM - Divina, Remix, Steelcut

legs




seat frames






cushions



backs



low table





accessories




table frames





table tops





frame



powder coating

black 1 Colors



powder coating

white 1 Colors

fabric

40 Colors

fabric

44 Colors

Jet

Canvas 2

upholstery



fabric Hallingdal 65





fabric Maya 43 Colors



fabric Iris





fabric Steelcut 2



fabric Steelcut Trio 3 48 Colors



fabric Fiord 2 24 Colors



soft-leather



fabric Remix 3 24 Colors



Tonica 2 39 Colors



GRIMM FR 24 Colors



fabric

Capture

43 Colors

fabric fabric Clara 2 Divina MD 24 Colors 24 Colors



fabric Lapalma Smart 18 Colors



ecoleather Valencia c5 59 Colors



fabric Divina Melange 3 38 Colors



fabric Crisp 40 Colors



Medlev 37 Colors











wood blanched oak 1 Colors



black open pore 1 Colors



HPL 10 mm HPI fenix 2 Colors

accessories



HPL 10 mm HPL fenix 2 Colors

consult the porfolio for the range of colors, fabrics, eco-leather, soft-leather.

use and maintenance instructions

Clean all parts in wood, leather, fabric and metal with a damp cloth or a diluted neutral cleaner. Do not use cleaners with alcohol, bleach, solvent or abrasive products. Any liquid spilt on the product must be wiped up immediately. When lifting or moving the product, hold it on the structure and not under the seat. The product should not be subjected to unbalanced weights, as it is designed for a proper rest on the foothold (on four legs or on the base). Our company relieves from any responsibility in case of damage caused to fragile floors. Avoid any improper use of the product: do not step on the product, on the footrest or on the armrests. Avoid any movements that could compromise the proper functionality of the product or the safety of the users. Wood and leather, being natural materials, could be easily damaged. Small impurities or imperfections are within quality standard range. Do not expose the product to weather conditions or atmospheric agents, nor to heat sources over 40°C. Also products for outdoor use could be afflicted by atmospheric agents. The product could undergo possible exterior changes due to particular exposure to heat, humidity and saltiness. An appropriate and frequent maintenance and cleaning of the product enhances its durability. The product could change colour and shade, if exposed to direct sunlight. Maintenance has to be carried out by experienced staff. Dispose of the package only after assembling the product, in order to avoid the loss of ironmongery and components. Once the product has been dismantled, the product itself or its components must be given to the public garbage disposal system, according to the legislation in force.