



Chair with upholstered seat and backrest and solid beech wood frame.



- Frame** Solid beech legs and interior frame.
- Seat** Solid beech structure with polypropylene elastic straps covered with flame retardant polyurethane flexible foam with a density between 55 lb/ft3 and 88 lb/ft3 (25 kg/m3 and 40 kg/m3).
- Back** Beech plywood covered with flexible flame retardant polyurethane foam with density between 55 lb/ft3 and 88 lb/ft3 (25 kg/m3 and 40 kg/m3).
- Other materials** Zinc-nickel electrolyte screws. Galvanized staples. Polyvinyl acetate glue.
- Accessories** Polypropylene, felt or steel glides.

- Leather**
 - Cat L1
First categorie cow leather (21)
 - Cat L3
Polished full grain leather (21)

- Fabrics**

Fabrics				Faux Leather			
Cat 1 Microfibra (14)	Cat 2 Jacquard 2 (15)	Cat 4 Remix 2 (49)	Cat 6 Clara (24)	Cat 8 Divina 3 (56)	Cat 9 Divina MD (27)	Cat 1 Ecopiel 1 (14)	
Jacquard 3 (15)	High Tech One (5)			Willow (13)	Divina Melange (24)		
Jacquard 1 (10)	Main Line Flex (25)	Cat 5 Messenger 4 (43)	Cat 7 Sudden (24)	Tonus 3 (64)	Hallingdal 65 (58)	Cat 2 Ecopiel 2 (14)	
Sprint (25)		Plot (33)			Steelcut Trio 2 (49)		
Xtreme (25)	Cat 4 Cava 3 (49)	Blazer (25)				Cat 5 Ledger (32)	
Urban (25)	Field (24)						

- Wood finish**

311	301	378	322	336	364	372	369	381

- Premium finish and wood**

601	641	661	380	645L NCS 2005-Y20R Sand	646L NCS S 4005-Y20R Basalt Grey	642L RAL 3013 Cayenne Red	605L NCS S 6502-B Dark Grey	606L RAL 1005 Yellow Mustard

**Resistance
and
Quality**

ISO9001
UNE-EN 16139:2013

Fireproof

B.S. 5852 Part 2 Crib V
California Technical Bulletin 117
California Technical Bulletin 133
CS/FAR 25.853
French Arrêté du 28 Août
UNE-EN 1021-1:2006
UNI 9175 M-1

Sustainability

ASTM D5116 (VOCS Emissions)
FSC
GECA 28-2006 v2- Furniture and Fittings (modified 2010) Level B
ISO14001
PEFC

Glides

