


# fade coffee table structure

design Marco Gregori



## STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene  
colore base/basic colour



6461



## GROSS WEIGHT:

kg 7,9

## ACCESSORIES:

**A4668**

Kit fissaggio a terra  
Plust set 2/Ground  
fixing kit Plust set 2

**A4461**

Sistema di fissaggio a  
terra/Fixing kit system

**A4601**

Kit sabbia essiccata/  
Dried sand kit


# fade coffee table structure light

design Marco Gregori



## STRUTTURA/STRUCTURE

PE - Polietilene/Polyethylene  
colore base/basic colour



8462



U1

## GROSS WEIGHT:

kg 8,1

## DETAILS:

Necessita di 1 Kit Luce/  
Needs 1 Light Kit

## ACCESSORIES:

A4668  
Kit fissaggio a terra  
Plust set 2/Ground  
fixing kit Plust set 2

## KIT LUCE/LIGHT KIT

- A4183 kit luce LED per interni/*indoor LED light kit*
- A4689 kit luce LED naturale per interni  
*indoor natural LED light kit*
- A4182 kit luce LED per esterni/*outdoor LED light kit*
- A4688 kit luce LED naturale per esterni  
*outdoor natural LED light kit*
- A4721 kit luce LED RGB per interni con telecomando  
*indoor RGB LED light kit w/remote control*
- A4723 kit luce LED RGB per interni  
*Indoor RGB LED light kit*
- A4722 kit luce LED RGB per esterni con telecomando  
*outdoor RGB LED light kit w/remote control*
- A4724 kit luce LED RGB per esterni  
*Outdoor RGB LED light kit*
- A4307 kit luce LED RGB per interni/esterni con telec.  
*Indoor/outdoor RGB LED light kit w/remote control*
- A4447 kit luce LED RGB per interni/esterni senza  
trasformatore con telec./*Indoor/outdoor RGB LED  
light kit without transformer w/remote control*
- A4744 kit LED RGB a batteria per interni/esterni bluetooth  
*bluetooth RGB LED light kit with battery indoor/outdoor*


# fade coffee table structure top

## PIANO/TOP

## HPL colore base/basic colour

## DIMENSIONS:

## GROSS WEIGHT:



70

**A4490**



Cm 69x1 h

Kg 6,2

**A4491**



Cm 69x1 h

Kg 6

## TESTS

Declaration of conformity issued by **CATAS**

Conforms to the requirements of resistance,  
durability and safety, 2<sup>st</sup> level EN 15372:2016

Tests carried out as per:

EN 15372:2016 clause 5.1 - 5.2  
EN 15372:2016, clause 6

EN 1730:2012, clause 6.2  
EN 1730:2012, clause 6.3  
EN 1730:2012, clause 6.4.2  
EN 1730:2012, clause 6.5  
EN 1730:2012, clause 6.6  
EN 1730:2012, clause 7.2