

Struttura in metallo verniciato con pendagli.


Painted metal frame with pendants.

Gestell aus lackiertem Metall mit Behang.

Structure en métal verni avec pampilles.


МЕТАЛЛИЧЕСКИЙ ОКРАШЕННЫЙ КАРКАС С ПОДВЕСКАМИ.

Standard pendants




Transparent Cold Amber Copper Warm Smoky

Standard finishings




G01 Burnished frame amber pendants
F01 Gold leaf frame amber pendants
F02 Silver leaf frame transparent pendants
F03 Copper leaf frame copper pendants
V30 Oxide red frame cold pendants
V50 Blue navy frame amber pendants
V83 Matt bronze frame warm pendants
V90 Matt black frame smoky pendants
V95 Matt white frame cold pendants

Family




Suspension Ceiling Applique Table lamp Floor lamp

Standard cables for all suspensions



OLÀ S12 120




Ø 120 cm / 47.24"
H 20 cm / 7.87"

☉ 12×E27×60 W max
USA 12×E26×60 W max
(not included)

UP LED x 13 W CRI>90
3000 K - 2050 Nominal lm
DOWN LED x 51,2 W CRI>90
3000 K - 8200 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ S6 90




Ø 90 cm / 35.50"
H 20 cm / 7.87"

☉ 8×E27×60 W max
USA 8×E26×60 W max
(not included)

UP LED x 11 W CRI>90
3000 K - 1524 Nominal lm
DOWN LED x 33 W CRI>90
3000 K - 4572 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ S6 60




Ø 60 cm / 23.70"
H 20 cm / 7.87"

☉ 6×E27×60 W max
USA 6×E26×60 W max
(not included)

UP LED x 9,6 W CRI>90
3000 K - 1306 Nominal lm
DOWN LED x 28,8 W CRI>90
3000 K - 3918 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ S6 40




Ø 40 cm / 15.74"
H 20 cm / 7.87"

☉ 6×E14×40 W max
USA 6×E12×40 W max
(not included)

UP LED x 11 W CRI>90
3000 K - 1700 Nominal lm
DOWN LED x 11 W CRI>90
3000 K - 1700 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ S2 15




Ø 15 cm / 5.90"
H 26 cm / 10.23"

☉ 2×G9×40 W max
USA 1×E12×40 W max
(not included)

DOWN LED x 8,5 W CRI>90
3000 K - 1170 Nominal lm
Dimmable: TRIAC

OLÀ S8 OV 210




L 210 cm / 82.67"
SP 20 cm / 7.87"
H 20 cm / 7.87"

☉ 8×E14×40 W max
USA 8×E12×40 W max
(not included)

UP LED x 18,6 W CRI>90
3000 K - 2800 Nominal lm
DOWN LED x 55,8 W CRI>90
3000 K - 8400 Nominal lm
Dimmable: PUSH + DALI

OLÀ S6 OV 160




L 160 cm / 63.00"
SP 14 cm / 5.50"
H 20 cm / 7.87"

☉ 6×E14×40 W max
USA 6×E12×40 W max
(not included)

UP LED x 18 W CRI>90
3000 K - 2670 Nominal lm
DOWN LED x 44,5 W CRI>90
3000 K - 6675 Nominal lm
Dimmable: PUSH + DALI

OLÀ S4 OV 100




L 100 cm / 39.37"
SP 13 cm / 5.12"
H 20 cm / 7.87"

☉ 4×E14×40 W max
USA 4×E12×40 W max
(not included)

UP LED x 8,2 W CRI>90
3000 K - 1225 Nominal lm
DOWN LED x 24,6 W CRI>90
3000 K - 3675 Nominal lm
Dimmable: PUSH + 1-10V

OLÀ S2 OV 50




L 50 cm / 19.69"
SP 8 cm / 3.14"
H 18 cm / 7.09"

☉ 2×E27×60 W max
USA 2×E26×60 W max
(not included)

UP LED x 8,3 W CRI>90
3000 K - 1285 Nominal lm
DOWN LED x 8,3 W CRI>90
3000 K - 1285 Nominal lm
Dimmable: PUSH + 1-10V

OLÀ S1 OV 30




L 30 cm / 11.81"
SP 7 cm / 2.75"
H 18 cm / 7.09"

☉ 1×E14×40 W max
USA 1×E12×40 W max
(not included)

UP LED x 5,8 W CRI>90
3000 K - 800 Nominal lm
DOWN LED x 5,8 W CRI>90
3000 K - 800 Nominal lm
Dimmable: PUSH + 1-10V


☉ : for the US market, refer to the relevant price list.

OLÀ C3 LN 75

L 75 cm / 29.52"
SP 20 cm / 7.87"
H max 180 cm / 70.86"

6×G9×40 W max
USA 3×E12×40 W max
(not included)


DOWN LED x 24 W CRI>90
 3000 K - 3510 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ C5 LN 125

L 125 cm / 49.21"
SP 20 cm / 7.87"
H max 180 cm / 70.86"

10×G9×40 W max
USA 5×E12×40 W max
(not included)


DOWN LED x 40 W CRI>90
 3000 K - 5850 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ C7 LN 175

L 175cm/68.89"
SP 20 cm / 7.87"
H max 180 cm / 70.86"

14×G9×40 W max
USA 7×E12×40 W max
(not included)


DOWN LED x 49 W CRI>90
 3000 K - 7140 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ C3 RD 40

Ø 40 cm / 15.74"
H max 180 cm / 70.86"

6×G9×40 W max
USA 3×E12×40 W max
(not included)


DOWN LED x 24 W CRI>90
 3000 K - 3510Nominal lm
Dimmable: 1-10V + PUSH

OLÀ C5 RD 60

Ø 60 cm / 23.62"
H max 180 cm / 70.86"

10×G9×40 W max
USA 5×E12×40 W max
(not included)

DOWN LED x 40 W CRI>90
 3000 K - 5850 Nominal lm
Dimmable: 1-10V + PUSH + DALI


OLÀ C7 RD 80

Ø 80 cm / 31.49"
H max 180 cm / 70.86"

14×G9×40 W max
USA 7×E12×40 W max
(not included)

DOWN LED x 49 W CRI>90
 3000 K - 7140 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ PL12 120




Ø 120 cm / 47.24"
H 26 cm / 10.23"

USA 12×E27×60 W max
(not included)

DOWN LED x 52 W CRI>90
3000 K - 8200 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ PL6 90




Ø 90 cm / 35.50"
H 26 cm / 10.23"

USA 8×E27×60 W max
(not included)

DOWN LED x 36 W CRI>90
3000 K - 4932 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ PL6 60




Ø 60 cm / 23.70"
H 26 cm / 10.23"

USA 6×E27×60 W max
(not included)

DOWN LED x 31,5 W CRI>90
3000 K - 4380 Nominal lm
Dimmable: 1-10V + PUSH + DALI

OLÀ PL6 40




Ø 40 cm / 15.74"
H 26 cm / 10.23"

USA 6×E14×40 W max
(not included)

DOWN LED x 12 W CRI>90
3000 K - 1830 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ PL8 OV 210




L 210 cm / 82.67"
SP 20 cm / 7.87"
H 26 cm / 10.23"

USA 8×E14×40 W max
(not included)

DOWN LED x 55,8 W CRI>90
3000 K - 8400 Nominal lm
Dimmable: DALI + PUSH

OLÀ PL6 OV 160




L 160 cm / 62.99"
SP 13 cm / 5.12"
H 26 cm / 10.23"

USA 6×E14×40 W max
(not included)

DOWN LED x 43,5 W CRI>90
3000 K - 6550 Nominal lm
Dimmable: DALI + PUSH

OLÀ PL4 OV 100




L 100 cm / 39.37"
SP 13 cm / 5.12"
H 26 cm / 10.23"

USA 4×E14×40 W max
(not included)

DOWN LED x 21,6 W CRI>90
3000 K - 3270 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ A6 OV 160




L 160 cm / 62.99"
SP 20 cm / 7.87"
H 20 cm / 7.87"

☉ 6×E14×40 W max
USA 6×E12×40 W max
(not included)

UP LED x 18 W CRI>90
 3000 K - 2670 Nominal lm
DOWN LED x 44,5 W CRI>90
 3000 K - 6675 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ A2 OV 70




L 70 cm / 27.56"
SP 15 cm / 6.00"
H 20 cm / 7.87"

☉ 2×E27×60 W max
USA 2×E26×60 W max
(not included)

UP LED x 9,3 W CRI>90
 3000 K - 1400 Nominal lm
DOWN LED x 18,6 W CRI>90
 3000 K - 2800 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ A2 OV 50




L 50 cm / 19.70"
SP 12 cm / 4.72"
H 18 cm / 7.08"

☉ 2×E27×60 W max
USA 2×E26×60 W max
(not included)

UP LED x 5,25 W CRI>90
 3000 K - 725 Nominal lm
DOWN LED x 7,8 W CRI>90
 3000 K - 1170 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ A1 OV 30




L 30 cm / 11.81"
SP 10 cm / 3.94"
H 18 cm / 7.09"

☉ 1×E14×40 W max
USA 1×E12×40 W max
(not included)

UP LED x 5,8 W CRI>90
 3000 K - 800 Nominal lm
DOWN LED x 5,8 W CRI>90
 3000 K - 800 Nominal lm
Dimmable: 1-10V + PUSH

OLÀ TL2




L 50 cm / 19.70"
SP 16 cm / 6.30"
H 50 cm / 19.70"

☉ 2×E27×60 W max
USA 2×E26×60 W max
(not included)

UP LED x 5,25 W CRI>90
 3000 K - 725 Nominal lm
DOWN LED x 7,8 W CRI>90
 3000 K - 1170 Nominal lm
Dimmable: OWN BUTTON

OLÀ STL2



L 50 cm / 19.70"
SP 24 cm / 9.45"
H 180 cm / 70.90"

☉ 2×E27×60 W max
USA 2×E26×60 W max
(not included)

UP LED x 5,25 W CRI>90
 3000 K - 725 Nominal lm
DOWN LED x 7,8 W CRI>90
 3000 K - 1170 Nominal lm
Dimmable: OWN BUTTON

☉ : for the US market, refer to the relevant price list.
 * ETL only for US market.