



**EN: Barstool with upholstered shell in polyurethane foam with elastic belts and steel tube legs**

IT: Sgabello con scocca imbottita in schiumato poliuretano con cinghie elastiche e gambe in tubo d'acciaio


DE: Barhocker mit gepolsterter Schale aus Polyurethanschaum mit elastischen Gurten und Stahlrohrbeinen

FR: Tabouret avec coque rembourrée en mousse de polyuréthane avec sangles élastiques et pieds en tube d'acier


ES: Taburete con carcasa de espuma de poliuretano tapizada con cintas elásticas y patas de tubo de acero

mm - in

• 698\_H650



• 698



### MATERIALS

Materiali  
Materialien  
Matériaux  
Materiales

• SEAT - SEDUTA - SITZ - ASSISE - ASIENTO

**EN: Inner structure in steel with elastic bands, flexible moulded polyurethane (fire-retardant, class 1 IM density 60 kg/m³), covered with fabric**

IT: Struttura interna in acciaio, con cinghie elastiche, stampata in poliuretano flessibile (ignifugo, classe 1 IM con densità 60 kg/m³), rivestita in tessuto

DE: Inneres Gestell aus Edelstahl mit elastischen Bändern, Schale aus flexiblem Polyurethan, (schwerentflammbar, Klasse 1 IM mit Dichtigkeit 60 kg/m³), stoffe bezogen

FR: Structure interne en acier, avec courroies élastiques, injectée en polyuréthane flexible, (ignifuge, classe 1 IM densité 60 kg/m³), garnie avec tissu

ES: Estructura interna de acero inoxidable con cinturón elástico, moldeo de poliuretano flexible (ignifugo, clase 1 IM densidad de 60 kg/m³), forrado de tela

FABRIC - TESSUTO - STOFF - TISSU - TEJIDO

Cat. G (excluding G100÷G102 - G130÷G133 - G200÷G206) - H (excluding H110÷H117) - P

**EN: For more information see finishing legend on the website**

IT: Per maggiori informazioni vedere legenda finiture sul sito web

• FRAME - TELAIO - STRUKTUR - STRUCTURE - ARMAZÓN

**EN: Steel legs, tapered tube; steel footrest, tube Ø20 mm**

IT: Gambe in acciaio, tubo conificato; poggiapiedi in acciaio, tubo Ø20 mm

DE: Beine aus Stahl, Konisches Rohr; Fußraste aus Stahl, Rohr Ø20 mm

FR: Pieds en acier, tube fuselé; repose-pieds en acier, tube Ø20 mm

ES: Patas de acero, tubo cónico; reposa pies de acero, tubo Ø20 mm

### FRAME FINISH - FINITURA TELAIO - AUSFÜHRUNG DES GESTELL - FINITIONS STRUCTURE - ACABADO ARMAZÓN

**EN: Brushed nickel**

IT: Nichel satinato  
DE: Nickel satiniert  
FR: Nickel satiné  
ES: Níquel satinado



AS

**EN: Brushed bronze**

IT: Bronzo satinato  
DE: Bronze satiniert  
FR: Bronze satiné  
ES: Bronce satinado



BS

**EN: Antique brass**

IT: Ottone antico  
DE: Messing Antik  
FR: Laiton vieilli  
ES: Latón antiguo



OA

**EN: Titanium**

IT: Titanio  
DE: Titan  
FR: Titanium  
ES: Titanio



TN

• **FEET - PIEDINI - GLEITER - PATINS - TACOS**

**EN: Feet in polypropylene, black**

IT: Piedini in polipropilene, nero  
DE: Gleiter aus Polypropylen, schwarz  
FR: Patins en polypropylène, noir  
ES: Tacos de polipropileno, negro

### REGULATIONS AND CERTIFICATES

Normative e Certificazioni  
Bestimmungen und Zertifikat  
Normatives et certifications  
Normativas y certificados

### • ENVIRONMENTAL IMPACT - IMPATTO AMBIENTALE - UMWELTBELASTUNG - IMPACT DUR L'ENVIRONNEMENT - IMPACTO AMBIENTAL

MATERIAL Materiale	Kg WEIGHT Peso	% TOTAL ITEM Totale articolo	MATERIAL RECYCLABILITY Riciclabilita' del materiale	% MINIMUM RECYCLED AT ORIGIN Minima riciclato all'origine	% RECYCLABLE END OF PRODUCT LIFE Riciclabile fine vita prodotto
Steel Acciaio	5,76	68,50	YES	33,2	100
Polypropylene Polipropilene	0,24	2,85	YES	0	100
Polyurethane Poliuretano	2,05	24,36	NO	0	0
Leather Pelle	0,36	4,28	NO	0	0
<b>TOTAL</b> TOTALE	<b>8,41 Kg</b>	--	--	<b>22,7 %</b>	<b>71,4 %</b>

EN: Percentages referred to 698

IT: Percentuali riferite al 698

### • COMPANY CERTIFICATIONS - CERTIFICAZIONI AZIENDALI - UNTERNEHMENSZERTIFIZIERUNGEN - CERTIFICATIONS D'ENTREPRISE - CERTIFICACIONES DE LA EMPRESA

#### ISO 14001

Environmental management system  
Sistema di gestione ambientale



#### ISO 9001

Quality management system  
Sistema di gestione della qualità

