

AIR desks

Design by Gediminas Juška | Lithuania



FEATURES

- Easy and fast assembling / disassembling - "metal to metal" construction
- Just one tool for assembling (DIN911 S4)
- Bolted connections (without screws)

QUALITY STANDARD

- LST EN 527-1:2011
- LST EN 527-2:2003
- LST EN 14073-2:2004

TECHNICAL INFORMATION

Desks

Desktop

- 25 mm MFC (melamine) with 2 mm ABS edging.

Legs

- Welded metal construction from 12 mm tube;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

Metal beam (under desktop)

- Metal tube - 40x20 mm and 20x20 mm;
- Powder coated metal, colour matches the legs.

Grommet

- Semi-transparent matte plastic in grey outline;
- Ø 80 mm.

Fixed cabinets

Carcass and shelves

- 18 mm MFC (melamine) with 1 mm ABS edging.

Doors

- 18 mm MFC (melamine) with 1 mm ABS edging;
- Handleless doors with aluminium profile in between for easy opening.

Fittings

- Cams with connecting bolts;
- Fast assembling hinges (do not require any tools to connect hinges and plates);
- Without soft closing.

Plastic legs

- Black plastic height levelling feet, H=23 mm (+10 mm).


MATERIALS

- Melamine (combinations available): P (birch), D2 (amber oak), U (walnut), M1 (white);
- Metal: E (white), M (metallic), A (black).

GUARANTEE





- 5 years

RANGE



ORDERING EXAMPLE

Code structure



Optional




Fittings for desktop connection (2 pcs.)



Power socket blocks



Cable trays



Cable ducts



Cable clips



Screens



Modesty panels



Cabinet placed on 2-desk bench