

# ZEDO

Technical information



## Other documents available for this product

Technical information for ZEDO desks

Technical information for ZEDO PET acoustic desk screens

Ordering guidelines for ZEDO desks

Cable management guidelines for ZEDO desks


---

## Quality standard

· LST EN 15372:2017

## Warranty

See Warranty Statement



## Technical information

### Tabletop

- 18 mm MFC (melamine) with 1 mm ABS edges;
- Easy to assemble and disassemble - "metal-to-metal" construction.

### Metal beam

- Metal tube – 40x20 mm;
- With welded metal plates for leg fixing;
- Powder coated metal.

### Legs

- Welded metal structure of rectangular 50x25 mm and round  $\varnothing$ 40 mm tubes;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

### Central leg

- Welded metal structure of rectangular 60x30 and 50x25 mm tubes;
- Vertical part – round  $\varnothing$ 40 mm tube, assembled on site;
- Powder coated metal;
- Plastic feet with height levelling (+10 mm).

### Plugs


- CNC machined metal,  $\varnothing$ 40x13 mm;
- Powder coated metal;
- For desk legs without accessories plugs must be ordered separately.

## Range

### Conference & Meeting tables



6 seats







\*Tabletop depth

### Conference & Meeting tables



### Supplementary units



#### 4 seats



#### 6 seats



\*Tabletop depth

---

## Additional information

- You can use maximum three supplementary units in one combination to extend the table.



- Information about available accessories for this range can be found in our product pricelists.